
















Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Mudguard left rear</p>	<b>8900100970</b> <i>For reference:</i> 1203270	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie	2.0, 1.8 2.9, 3.0 2.3, 2.8, 2.7, 2.0, 2.1, 2.4D, 2.0D	08/66-02/75 08/68-07/74 08/74-12/93	Fitting Position: Left Rear
 <p>Mudguard right rear</p>	<b>8900100980</b> <i>For reference:</i> 1203271	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie	1.8, 2.0 2.9, 3.0 2.0D, 2.3, 2.4D, 2.7, 2.8, 2.0, 2.1	08/66-02/75 08/68-07/74 08/74-12/93	Fitting Position: Right Rear
 <p>Locking washer for 8917900202</p>	<b>8900150100</b> <i>For reference:</i> 955896 986484	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 3.0, 2.9 1.6 2.0, 1.8 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	for article number: 8917900202 Inner diameter [mm]: 21,2 Outer diameter [mm]: 23,8 Thickness [mm]: 2,6
 <p>Mounting kit for Classic car antenna, universal</p>	<b>8300900310</b> <i>For reference:</i> MC009100	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie VOLVO Amazon VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.3, 2.4D, 2.8, 2.0D, 2.0, 2.1, 2.7 2.7, 2.8 1.6 1.8 2.0 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81 05/59-05/71 05/59-08/68 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 08/61-07/67	Operating Mode: Manual Equipment Variant: Mounting kit
 <p>Holder, air filter housing, Stromberg</p>	<b>8901000302</b> <i>For reference:</i> 943758	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 3.0, 2.9 1.6 2.0, 1.8 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Bolt Head-/Nut Design: Hexagon Thread Type: UNC Thread Thread Size: 5/16" Length [mm]: 89

Description	Item no.	Application	Engine	Year	Criteria / Information
 Screw	<b>8901000400</b> <i>For reference:</i> 950044	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 1.6 2.0, 1.8 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Bolt Head-/Nut Design: 8 Thread Type: UNC Thread Thread Size: 1/4" Length [mm]: 9,5 Surface: Zinc-coated
 Screw	<b>8901000500</b> <i>For reference:</i> 955523	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 3.0, 2.9 2.0, 2.0D, 2.1, 2.3, 2.7, 2.4D, 2.8 2.7, 2.8 1.6 1.8, 2.0 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Bolt Head-/Nut Design: Hexagon Thread Type: UNC Thread Thread Size: 5/16" Length [mm]: 16
 Bolt	<b>8901000602</b> <i>For reference:</i> 955560	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 3.0, 2.9 1.6 1.8, 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Bolt Head-/Nut Design: Hexagon Thread Type: UNC Thread Thread Size: 1/2" Length [mm]: 25
 Screw	<b>8901000700</b> <i>For reference:</i> 955570	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.3, 2.8, 2.0, 2.0D, 2.1, 2.4D, 2.7 2.7, 2.8 1.6 1.8, 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Thread Size: 1/2 x 89 Thread Type: UNC Thread
 Screw	<b>8901000800</b> <i>For reference:</i> 943051	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 1.6 1.8, 2.0 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Length [mm]: 32 Diameter [mm]: 3,5 Head Diameter: 6,8

Description	Item no.	Application	Engine	Year	Criteria / Information
 Screw	<b>8901000900</b> <i>For reference:</i> 950020	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 3.0, 2.9 1.6 1.8, 2.0 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Bolt Head-/Nut Design: 8 Thread Type: UNC Thread Thread Size: Nr. 10 Length [mm]: 9,5
 Screw, black	<b>8901001100</b> <i>For reference:</i> 955137				Bolt Head-/Nut Design: Torx Thread Size: 4,8mm Length [mm]: 9,5
 Nut	<b>8901100200</b> <i>For reference:</i> 955783 971071	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie VOLVO 340-360 VOLVO 740 VOLVO 760 VOLVO 940 VOLVO 960 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.0D, 2.1, 2.0, 2.3, 2.7, 2.8, 2.4D 2.7, 2.8 1.3, 1.4, 1.6D, 2.0, 1.7 2.3, 2.0, 2.4D 2.4D, 2.8, 2.3 2.3, 2.4D, 2.0 2.0, 2.9, 2.3, 2.8, 2.4D 1.6 2.0, 1.8 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81 08/75-07/91 04/83-12/92 08/81-07/92 08/90-12/94 08/90-07/94 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Bolt Head-/Nut Design: Hexagon Thread Type: with metric thread Thread Size: M10 Surface: Zinc-coated
 Nut, low	<b>8901100700</b> <i>For reference:</i> 950367				Bolt / Nut Version: 082 Bolt Head-/Nut Design: Hexagon Thread Type: UNC Thread Thread Size: 9/16"
 Washer	<b>8901200200</b> <i>For reference:</i> 18872	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 1.6 2.0, 1.8 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Inner diameter [mm]: 18 Outer diameter [mm]: 25,9 Thickness [mm]: 1,3

Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Spring Disc</p>	<b>8901200302</b> For reference: 940143	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 1.6 1.8, 2.0 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Bolt Ø [mm]: 12,7
 <p>Washer</p>	<b>8901200400</b> For reference: 955894	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 1.6 1.8, 2.0 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Inner diameter [mm]: 8,5 Outer diameter [mm]: 15,9 Thickness [mm]: 1,5
 <p>Washer</p>	<b>8901200500</b> For reference: 120096	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 1.6 2.0, 1.8 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Bolt Hole Circle Ø [mm]: 7,94
 <p>Door sticker, reflective</p>	<b>8901500600</b> For reference: 678127	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 3.0, 2.9 2.0D, 2.0, 2.1, 2.4D, 2.3, 2.7, 2.8 2.7, 2.8 1.6 1.8, 2.0 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Fitting Position: Vehicle Door Version: Reflective
 <p>Sticker for expansion bottle</p>	<b>8901500700</b> For reference: 1019	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 2.3, 2.7, 2.8, 2.0, 2.1, 2.0D, 2.4D 2.7, 2.8 1.6 1.8, 2.0 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Version: Expansion bottle

Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Sticker for distributor, Bosch 12V</p>	<b>8901501000</b> For reference: 108	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 3.0, 2.9 2.0D, 2.0, 2.1, 2.4D, 2.3, 2.7, 2.8 2.7, 2.8 1.6 2.0, 1.8 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Equipment Variant: Ignition coil 12V Version: Bosch Colour: Yellow
 <p>Sticker, belt tension</p>	<b>8901501100</b> For reference: 132	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 3.0, 2.9 2.0D, 2.0, 2.1, 2.4D, 2.3, 2.7, 2.8 2.8, 2.7 1.6 1.8, 2.0 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Equipment Variant: Belt tension
 <p>Knob set for Blaupunkt sound control, balance and bass/treble, black</p>	<b>8301850110</b> For reference: MC018800	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie VOLVO Amazon VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.3, 2.7, 2.8, 2.0D, 2.0, 2.1, 2.4D 2.7, 2.8 1.6 1.8 2.0 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81 05/59-05/71 05/59-08/68 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 08/61-07/67	Equipment Variant: Adjuster knob set Quantity Unit: Kit Specification: 70' and 80' models Specification: Balance/bass-treble Specification: For Blaupunkt radio Colour: Black
 <p>Knob set for Blaupunkt sound control, balance and bass/treble, chrome</p>	<b>8301850210</b> For reference: MC018801	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie VOLVO Amazon VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 3.0, 2.9 2.0, 2.1, 2.0D, 2.4D, 2.3, 2.7, 2.8 2.8, 2.7 1.6 1.8 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81 05/59-05/71 05/59-08/68 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 08/61-07/67	Equipment Variant: Adjuster knob set Quantity Unit: Kit Specification: 70' and 80' models Specification: Balance/bass-treble Specification: For Blaupunkt radio Colour: Chrome
 <p>First-aid bag, retro design, red, size 230x135x65 mm, DIN 13164 STVZO § 35h</p>	<b>8105006600</b> For reference: AC999630 ZCP902970	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie VOLVO Amazon VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 2.0D, 2.4D, 2.8, 2.3, 2.7, 2.0, 2.1 2.7, 2.8 1.6 1.8 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81 05/59-05/71 05/59-08/68 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 08/61-07/67	Colour: Red Length [mm]: 230 Width [mm]: 135 Thickness [mm]: 65




Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Frost Plug Ø45mm</p>	<b>8910150300</b> <i>For reference:</i> 418718 463904	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO 740 VOLVO 760 VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 2.0, 2.1, 2.3 2.0, 2.3 2.3 2.0, 1.8 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 04/83-12/92 08/81-07/92 05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	Diameter [mm]: 45
 <p>Frost Plug Ø35mm</p>	<b>8910150400</b> <i>For reference:</i> 418717 463903	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO 740 VOLVO 760 VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.0, 2.1, 2.3 2.0, 2.3 2.3 1.8, 2.0 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 04/83-12/92 08/81-07/92 05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	Diameter [mm]: 35
 <p>Piston set with rings, 2nd oversize</p>	<b>8910200310</b> <i>For reference:</i> 272004	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800	2.0 2.9, 3.0 1.8 2.0 1.8 2.0	08/66-02/75 08/68-07/74 09/64-08/69 05/59-08/69 04/62-11/73 04/62-06/72	Oversize [inch]: 0.03 For Pin Diameter [mm]: 22 Supplementary Article/ Supplementary Info: with piston rings
 <p>Piston ring kit for 4 pistons, standard size, thickness 2.2-4.7mm</p>	<b>8910300110</b> <i>For reference:</i> 275334	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800	2.0 2.9, 3.0 2.0 1.8 2.0 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93 09/64-08/69 05/59-08/69 04/62-11/73 04/62-06/72	Standard: Quantity: 4
 <p>Piston ring kit for 1 piston, standard size, thickness 2.2-4.7mm</p>	<b>8910300810</b> <i>For reference:</i> 42558	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800	2.0 3.0, 2.9 2.0 1.8 2.0 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93 09/64-08/69 05/59-08/69 04/62-11/73 04/62-06/72	Standard: Thickness 1 [mm]: 2,2 Thickness 2 [mm]: 4,7

Description	Item no.	Application	Engine	Year	Criteria / Information
 Hub, crankshaft	<b>8910400102</b> For reference: 418264	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 3.0, 2.9 2.0, 1.8 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	
 Retaining Pin, crankshaft	<b>8910450202</b> For reference: 910118	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.0, 1.8 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	
 Shaft Seal, crankshaft	<b>8910450300</b> For reference: 418257 430134	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 2.0 2.0, 1.8 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	Fitting Position: Transmission End
 Pilot Bearing, clutch	<b>8910450400</b> For reference: 181799	VOLVO 164 VOLVO 240 Serie VOLVO 340-360 VOLVO 740 VOLVO 760 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	3.0, 2.9 2.0, 2.1, 2.3, 2.7, 2.8 2.0 2.0, 2.3 2.3 1.6 1.8, 2.0 1.8 2.0 1.6 1.8	08/68-07/74 08/74-12/93 08/75-07/91 04/83-12/92 08/81-07/92 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Bearing Type: 2
 Connecting rod bearing set, 1st oversize 0.010"	<b>8910600310</b> For reference: 11067 271067	VOLVO 164	2.9	08/68-07/74	Oversize [inch]: 0,01

Description	Item no.	Application	Engine	Year	Criteria / Information
 Bushing for connecting rod, Ø22 mm	<b>8910850100</b> <i>For reference:</i> 418295	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 3.0, 2.9 2.0, 1.8 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	Diameter [mm]: 22
 Bushing for connecting rod, Ø24 mm	<b>8910850200</b> <i>For reference:</i> 463092	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie	2.0 2.9 2.0	08/66-02/75 08/68-07/74 08/74-12/93	Diameter [mm]: 24
 Sealing Plug, oil sump, aluminium	<b>8911000100</b> <i>For reference:</i> 952075	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 2.0 1.6 1.8, 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Fitting Position: Engine Block Fitting Position: Intake Manifold Fitting Position: Feed pipe to engine Material: Aluminium
 Hose, crankcase breather	<b>8911150100</b> <i>For reference:</i> 460003	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800	2.0 2.9 2.0 1.8 2.0 1.8	08/66-02/75 08/68-07/74 08/74-12/93 09/64-08/69 05/59-08/69 04/62-05/70	
 Cylinder Head Bolt	<b>8911150200</b> <i>For reference:</i> 191523	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.0 1.8, 2.0 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	



Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Hose, crankcase breather, 1000 mm</p>	<b>8911150300</b> <i>For reference:</i> 942390 978248	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon	1.8, 2.0 2.9 2.0, 2.1 2.0, 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69	Total Length [mm]: 1000
 <p>Shaft seal, camshaft, Ø outer 37 mm, Ø inner 30 mm</p>	<b>8911250100</b> <i>For reference:</i> 418363	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett	1.8, 2.0 3.0, 2.9 2.0 1.8 2.0 1.8 2.0 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/68 05/59-08/69 04/62-05/70 04/62-06/72 05/60-07/67	Fitting Position: Front Material: Steel Outer diameter [mm]: 37 Inner diameter [mm]: 30
 <p>Shaft seal for crankshaft, rear, large</p>	<b>8911250900</b> <i>For reference:</i> 418621	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 1.8, 2.0 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	Fitting Position: Rear Material: Felt
 <p>Shaft seal for crankshaft, front, small</p>	<b>8911251000</b> <i>For reference:</i> 418622	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.0 1.8, 2.0 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	Fitting Position: Front
 <p>Valve Guides for inlet</p>	<b>8911300200</b> <i>For reference:</i> 419652	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO 340-360 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800	2.0 2.9, 3.0 2.3, 2.0, 2.1 2.0 1.8 2.0 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93 08/75-07/91 09/64-08/69 05/59-08/69 04/62-11/73 04/62-06/72	Fitting Position: Intake Side Length [m]: 52 Outer diameter [mm]: 13,5 Inner diameter [mm]: 8 Material: Cast Iron Valve type: for inlet valves

Description	Item no.	Application	Engine	Year	Criteria / Information
 Valve Guides	<b>8911300300</b> <i>For reference:</i> 419653	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800	2.0 2.9, 3.0 1.8 2.0 1.8 2.0	08/66-02/75 08/68-07/74 09/64-08/69 05/59-08/69 04/62-11/73 04/62-06/72	Fitting Position: Outlet Side Length [mm]: 59,2 Outer diameter [mm]: 13,5 Inner diameter [mm]: 8 Material: Cast Iron Valve type: for exhaust valves
 Inlet Valve, Ø42mm	<b>8911300600</b> <i>For reference:</i> 419639	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon	2.0 2.9 1.8 2.0	08/66-02/75 08/68-07/74 09/64-08/69 05/59-08/69	Diameter [mm]: 42
 Outlet valve, Ø35mm	<b>8911300800</b> <i>For reference:</i> 419640	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800	2.0 2.9, 3.0 1.8 2.0 1.8 2.0	08/66-02/75 08/68-07/74 09/64-08/69 05/59-08/69 04/62-11/73 04/62-06/72	Diameter [mm]: 35
 Screw, phillips drive	<b>8911350300</b> <i>For reference:</i> 950045	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.0 1.6 2.0, 1.8 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Thread Type: UNC Thread Thread Size: 1/4" Length [mm]: 13
 Valve Cotter	<b>8911350400</b> <i>For reference:</i> 419643	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800	2.0 3.0, 2.9 2.0, 2.1, 2.3, 2.8 1.8 2.0 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93 09/64-08/69 05/59-08/69 04/62-11/73 04/62-06/72	

Description	Item no.	Application	Engine	Year	Criteria / Information
 Seal, valve stem	<b>8911350800</b> <i>For reference:</i> 1306630 419702	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO 340-360 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800	2.0 3.0, 2.9 2.0, 2.1, 2.3 2.0 1.8 2.0 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93 08/75-07/91 09/64-08/69 05/59-08/69 04/62-11/73 04/62-06/72	Inner diameter [mm]: 12 Valve type: for inlet valves Valve type: for exhaust valves
 Rocker/ Tappet	<b>8911400100</b> <i>For reference:</i> 1218630 418423	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 2.0 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	Valve control: 010 Operating Mode: Mechanical
 Gasket for timing cover	<b>8912450200</b> <i>For reference:</i> 1378979 430133	VOLVO 164	2.9, 3.0	08/68-07/74	
 Seal ring for oil pump	<b>8913150200</b> <i>For reference:</i>	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 3.0, 2.9 2.0, 2.1, 2.3 2.0, 1.8 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	
 Repair Kit, oil pump, set	<b>8913150310</b> <i>For reference:</i> 400605	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0 3.0, 2.9 2.3, 2.0, 2.1 1.8, 2.0 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	Diameter [mm]: 12,7

Description	Item no.	Application	Engine	Year	Criteria / Information
 Hexagon screw	<b>8913550100</b> <i>For reference:</i> 955512	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.0, 2.1, 2.0D, 2.3, 2.7, 2.8, 2.4D 1.6 1.8, 2.0 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93  05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Thread Type: UNC Thread Thread Size: 1/4" Length [mm]: 13
 Cover for oil filler cap without ventilation, chrome	<b>8913600100</b> <i>For reference:</i> 403515	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 2.0 1.6 1.8, 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Colour: Chrome Equipment Variant: Cover for cap Equipment Variant: Without vent hole
 Cover for oil filler cap with ventilation, chrome	<b>8913600200</b> <i>For reference:</i> 418954	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.0 1.6 2.0, 1.8 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Colour: Chrome Equipment Variant: Cover for cap Equipment Variant: With vent hole
 Sealing plug for oil sump magnetic	<b>8913800100</b> <i>For reference:</i> 948187 986831	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 3.0, 2.9 2.0, 2.1, 2.3 1.8, 2.0 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	Supplementary Article/Info 2: Magnetic Thread Size: 3/4"
 Sealing plug for oil sump	<b>8913800200</b> <i>For reference:</i> 190798 948187	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 3.0, 2.9 2.0, 2.1, 2.3 2.0, 1.8 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	Thread Size: 3/4"






Description	Item no.	Application	Engine	Year	Criteria / Information
 Copper gasket for oil sump plug	<b>8913850100</b> <i>For reference:</i> 18818	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.0, 2.1, 2.3 1.6 2.0, 1.8 1.8 2.0 1.8, 1.6	08/66-02/75 08/68-07/74 08/74-12/93 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 05/60-07/67	
 Water Pump with gaskets	<b>8914100700</b> <i>For reference:</i> 461094	VOLVO 164	2.9, 3.0	08/68-07/74	Pulleys: with belt pulley Supplementary Article/ Supplementary Info: with gaskets/seals
 Gasket, water pump/heater pipe	<b>8914150502</b> <i>For reference:</i> 418411	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 2.0, 2.1, 2.3 1.8, 2.0 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	
 Gasket, water pump, original	<b>8914150902</b> <i>For reference:</i> 430017	VOLVO 164	3.0, 2.9	08/68-07/74	
 Gasket, water pump, original	<b>8914151002</b> <i>For reference:</i> 430172	VOLVO 164	2.9, 3.0	08/68-07/74	Diameter [mm]: 22 Height [mm]: 8,5

Description	Item no.	Application	Engine	Year	Criteria / Information
 Gasket, water pump, original	<b>8914151102</b> <i>For reference:</i> 430018	VOLVO 164	2.9, 3.0	08/68-07/74	Diameter [mm]: 32 Height [mm]: 8,5
 Gasket, water pump, original	<b>8914151202</b> <i>For reference:</i> 430020	VOLVO 164	2.9, 3.0	08/68-07/74	Fitting Position: Lower
 Rubber bushing for radiator mounting	<b>8914250102</b> <i>For reference:</i> 673989	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.0, 1.8 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	
 Mounting, radiator, sleeve	<b>8914250200</b> <i>For reference:</i> 663497	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.0, 1.8 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	
 Radiator Hose upper	<b>8914301600</b> <i>For reference:</i> 679081	VOLVO 164	2.9, 3.0	08/68-07/74	Fitting Position: Upper Vehicle Equipment: for vehicles without air conditioning






Description	Item no.	Application	Engine	Year	Criteria / Information
 Radiator Hose, lower	<b>8914301700</b> <i>For reference:</i> 679082	VOLVO 164	2.9	08/68-07/74	Fitting Position: Lower Vehicle Equipment: for vehicles without air conditioning
 Radiator Hose, upper	<b>8914301800</b> <i>For reference:</i> 686097	VOLVO 164	2.9, 3.0	08/68-07/74	Fitting Position: Upper Inner diameter 1 [mm]: 38 Inner diameter 2 [mm]: 45
 Radiator Hose, lower	<b>8914301900</b> <i>For reference:</i> 687141	VOLVO 164	2.9, 3.0	08/68-07/74	Fitting Position: Lower
 Clamping Clip, 26-38mm	<b>8914350100</b> <i>For reference:</i> 952659	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 1.6 2.0, 1.8 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Diameter from [mm]: 26 Diameter to [mm]: 38
 Clamping Clip, 26-38mm, original	<b>8914350202</b> <i>For reference:</i> 952659OE	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 1.6 1.8, 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Diameter from [mm]: 26 Diameter to [mm]: 38






Description	Item no.	Application	Engine	Year	Criteria / Information
 Clamping Clip, 32-44mm, original	<b>8914350302</b> <i>For reference:</i> 952663OE	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 3.0, 2.9 1.6 2.0, 1.8 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Diameter from [mm]: 32 Diameter to [mm]: 44
 Thermostat Housing	<b>8914500302</b> <i>For reference:</i> 419333	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 3.0, 2.9 2.0 2.0, 1.8 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	Outer diameter [mm]: 34
 Thermostat Housing	<b>8914500400</b> <i>For reference:</i> 419333	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 3.0, 2.9 2.0 1.8, 2.0 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	Outer diameter [mm]: 34
 Thermostat with gasket 87 C	<b>8914600110</b> <i>For reference:</i> 273458	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 3.0, 2.9 2.0 1.8, 2.0 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	Opening Temperature [°C]: 87 Supplementary Article/Info 2: with seal
 Thermostat, coolant	<b>1514600210</b> <i>For reference:</i> CS1720S 133803 1658103 894F8575AA 96020348 9602034880	VOLVO 140 Serie VOLVO 164 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0 2.9, 3.0 2.0 1.6 1.8	08/66-02/75 08/68-07/74 04/62-11/73 09/43-08/58 08/61-07/67	Supplementary Article/ Supplementary Info: with seal Opening Temperature [°C]: 88








Description	Item no.	Application	Engine	Year	Criteria / Information
 Thermostat with gaskets 76 C	<b>8914600210</b> <i>For reference:</i> 418496	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.0 2.0, 1.8 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	Opening Temperature [°C]: 76 Supplementary Article/Info 2: with seal
 Thermostat with gasket 82 C	<b>8914600310</b> <i>For reference:</i> 273342	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 3.0, 2.9 2.0 2.0, 1.8 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	Opening Temperature [°C]: 82 Supplementary Article/Info 2: with seal
 Thermostat with gasket 92 C	<b>8914600410</b> <i>For reference:</i> 273277	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 3.0, 2.9 2.0 2.0, 1.8 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	Opening Temperature [°C]: 92 Supplementary Article/Info 2: with seal
 Gasket for thermostat	<b>8914650100</b> <i>For reference:</i> 416033 6842214	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 3.0, 2.9 2.3, 2.0, 2.1 1.8, 2.0 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	
 Gasket for thermostat	<b>8914650200</b> <i>For reference:</i> 416033 418361	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.3, 2.0, 2.1 2.0, 1.8 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	

Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Breather Hose, expansion tank, 1000mm</p>	<b>8914750100</b> <i>For reference:</i> 942700	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie VOLVO Amazon VOLVO P1800 VOLVO P1800	2.0, 1.8 2.9, 3.0 2.0, 2.1, 2.0D, 2.4D, 2.8, 2.3, 2.7 2.7, 2.8 1.8, 2.0 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81 05/59-08/69 04/62-11/73 04/62-06/72	Length [mm]: 1000 Heating / Cooling: for vehicles without expansion tank
 <p>Cap for expansion tank</p>	<b>8914800100</b> <i>For reference:</i> 673233	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800	1.8, 2.0 2.9, 3.0 1.8 2.0 1.8 2.0	08/66-02/75 08/68-07/74 09/64-08/69 05/59-08/69 04/62-11/73 04/62-06/72	Heating / Cooling: for vehicles with expansion tank Shape: Short
 <p>Viscous coupling for fan</p>	<b>8914950100</b> <i>For reference:</i> 1266788	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO 260 Serie VOLVO P1800 VOLVO P1800	2.0 2.9, 3.0 2.0, 2.1 2.7 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93 08/74-07/82 04/62-11/73 04/62-06/72	Heating / Cooling: Visco Clutch
 <p>Needle Control, carburettor, 1,75mm, Zenith 34/36, Stromberg</p>	<b>8915151200</b> <i>For reference:</i> 237382 237567	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO Amazon VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 2.0 1.6 1.8, 2.0 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-05/71 05/59-08/69 09/43-08/58 05/60-07/67	Diameter [mm]: 1,75 Carburettor Type: Stromberg 175 Carburettor Type: Zenith 34/36
 <p>Seal ring for carburettor, Stromberg</p>	<b>8915151700</b> <i>For reference:</i> 237666	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 2.3, 2.7, 2.8, 2.0, 2.1, 2.4D, 2.0D 1.8, 2.0 1.8	08/66-02/75 08/68-07/74 08/74-12/93  05/59-08/69 05/60-02/69	Carburettor Type: Bing 40 Carburettor Type: Stromberg 175

Description	Item no.	Application	Engine	Year	Criteria / Information
 Seal Ring, carburettor	<b>8915152402</b> For reference: 237378	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800	2.0 3.0, 2.9 2.0 1.8 2.0 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93 09/64-08/69 05/59-08/69 04/62-11/73 04/62-06/72	Carburettor Type: Stromberg 175 CD Carburettor Type: Stromberg 175 CD2
 Seal Ring, carburettor	<b>8915152502</b> For reference: 237379	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800	2.0 2.9, 3.0 2.0 1.8 2.0 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93 09/64-08/69 05/59-08/69 04/62-11/73 04/62-06/72	Carburettor Type: Stromberg 175 CD Carburettor Type: Stromberg 175 CD2
 Seal ring for carburettor gas nozzle/float chamber plug, big, Stromberg carburettor	<b>8915153500</b> For reference: 820356	VOLVO 140 Serie VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO PV/Duett	1.8 2.0 2.9 2.0 (B19A), 2.1 2.0, 1.8 1.8	08/66-08/75 08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69 05/60-02/69	Carburettor Type: Stromberg 175 CD Carburettor Type: Stromberg 175 CD2
 Gasket for float chamber, Stromberg carburettor	<b>8915153700</b> For reference: 237294	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO PV/Duett	2.0, 1.8 2.9 2.0, 2.1, 2.3, 2.7, 2.8, 2.0D, 2.4D 1.8, 2.0 1.8	08/66-02/75 08/68-07/74 08/74-12/93  05/59-08/69 05/60-02/69	Carburettor Type: Stromberg 175 CD Carburettor Type: Stromberg 175 CD2
 Gasket Set, carburettor flange, Stromberg	<b>8915154310</b> For reference: 271474	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon	2.0 2.9 2.0 (B19A), 2.1 2.0	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69	Carburettor Type: Stromberg 175 CD2

Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Idle Jet, carburettor, Stromberg 175 CD2</p>	<b>8915155500</b> <i>For reference:</i> 237572	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon	2.0 2.9 2.3, 2.0, 2.1 2.0	08/66-02/75 08/68-07/74 08/74-12/93 09/64-08/69	Carburettor Type: Stromberg 175 CD2
 <p>Nozzle Needle, carburettor, B1AM</p>	<b>8915156000</b> <i>For reference:</i> 237443	VOLVO 164	2.9	08/68-07/74	Version: B1 AM
 <p>Nozzle Needle, carburettor, B1R</p>	<b>8915156100</b> <i>For reference:</i> 237344	VOLVO 164	2.9	08/68-07/74	Version: B1 R Carburettor Type: Stromberg 175 CD2
 <p>Tube, carburettor, 1000 mm</p>	<b>8915156700</b> <i>For reference:</i> 192055 976733	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.4D, 2.8, 2.0D, 2.1, 2.3, 2.0, 2.7  2.7, 2.8 1.6 2.0, 1.8 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Length [mm]: 1000 Inner diameter [mm]: 3,5
 <p>Holder, throttle control lever</p>	<b>8915157202</b> <i>For reference:</i> 959093	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 3.0, 2.9 1.6 1.8, 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	



Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Mounting for electric fuel pump</p>	<b>8915250100</b> <i>For reference:</i> 685355	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO P1800 VOLVO P1800	1.8, 2.0 3.0, 2.9 2.0D, 2.3, 2.7, 2.8, 2.0, 2.1, 2.4D 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93  04/62-05/70 04/62-06/72	Operating Mode: Electric
 <p>Flange, fuel pump, bakelite</p>	<b>8915250502</b> <i>For reference:</i> 460678	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9 2.0 1.6 2.0, 1.8 1.8 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-05/71 05/59-08/69 04/62-05/70 09/43-08/58 05/60-07/67	Operating Mode: Mechanical
 <p>Gasket for fuel pump</p>	<b>8915250800</b> <i>For reference:</i> 1378905	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9 2.0 1.6 2.0, 1.8 1.8 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-05/71 05/59-08/69 04/62-05/70 09/43-08/58 05/60-07/67	Operating Mode: Mechanical Suited for fuel type: Super (E10)
 <p>Gasket for fuel pump</p>	<b>8915251200</b> <i>For reference:</i> 1378905	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9 2.0 1.6 1.8, 2.0 1.8 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-05/71 05/59-08/69 04/62-05/70 09/43-08/58 05/60-07/67	Operating Mode: Mechanical
 <p>Seal, idle speed control valve - air supply</p>	<b>8915450100</b> <i>For reference:</i> 419894	VOLVO 140 Serie VOLVO 164 VOLVO P1800 VOLVO P1800	2.0 2.9, 3.0 1.8 2.0	08/66-02/75 08/68-07/74 04/62-11/73 04/62-06/72	Fitting Position: Cylinder Head

Description	Item no.	Application	Engine	Year	Criteria / Information
 O-ring, speedometer drive	<b>8915550302</b> <i>For reference:</i> 191117 960168 960218	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800	1.8, 2.0 3.0, 2.9 1.6 1.8, 2.0 1.8 2.0	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72	Inner diameter [mm]: 17,5 Thickness [mm]: 2,5
 Seal Ring, injector, lower	<b>8915550400</b> <i>For reference:</i> 419785	VOLVO 140 Serie VOLVO 164 VOLVO P1800 VOLVO P1800	2.0 2.9, 3.0 1.8 2.0	08/66-02/75 08/68-07/74 04/62-11/73 04/62-06/72	Shape: O-Ring Fitting Position: Lower Injection System: D-Jetronic
 Seal Ring, injector, upper	<b>8915550500</b> <i>For reference:</i> 419784	VOLVO 140 Serie VOLVO 164 VOLVO P1800 VOLVO P1800	2.0 2.9, 3.0 1.8 2.0	08/66-02/75 08/68-07/74 04/62-11/73 04/62-06/72	Shape: O-Ring Fitting Position: Upper Injection System: D-Jetronic
 Seal Ring, injector	<b>8915550602</b> <i>For reference:</i> 461611	VOLVO 140 Serie VOLVO 164 VOLVO P1800	2.0 2.9 2.0	08/66-02/75 08/68-07/74 04/62-11/73	
 Seal Ring, injector	<b>8915550802</b> <i>For reference:</i> 960168 960218	VOLVO 140 Serie VOLVO 164 VOLVO P1800 VOLVO P1800	2.0 2.9, 3.0 1.8 2.0	08/66-02/75 08/68-07/74 04/62-11/73 04/62-06/72	

Description	Item no.	Application	Engine	Year	Criteria / Information
 Cold-start Valve	<b>8915550902</b> For reference: 461559 461627	VOLVO 164	2.9, 3.0	08/68-07/74	
 Fuel cap with lock	<b>8915651000</b> For reference: 277359	VOLVO 140 Serie VOLVO 164	2.0, 1.8 2.9, 3.0	08/66-02/75 08/68-07/74	Lock System: with key
 Screw for fuel tank, stainless	<b>8915651400</b> For reference: 14939	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 1.6 1.8, 2.0 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Bolt / Nut Version: 023 Thread Size: Nr. 6 Length [mm]: 13 Material: Stainless Steel
 Screw for fuel tank, stainless	<b>8915651600</b> For reference: 955138	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 3.0, 2.9 1.6 1.8, 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Bolt / Nut Version: 023 Thread Size: Nr. 10 Length [mm]: 12 Material: Stainless Steel
 Hose Fitting, fuel hose, original	<b>8915651702</b> For reference: 954322	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 1.6 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Bolt / Nut Version: 013






Description	Item no.	Application	Engine	Year	Criteria / Information
  Holder, fuel line	<b>8915652000</b> <i>For reference:</i> 190665	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 3.0, 2.9 2.3, 2.7, 2.8, 2.0, 2.0D, 2.1, 2.4D 1.6 2.0, 1.8 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 08/74-12/93  05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Bolt / Nut Version: 082 Bolt Head-/Nut Design: Hexagon Thread Size: 4,8 mm Length [mm]: 13 Surface: Zinc-coated
  Sender for fuel gauge Ø52mm	<b>8915800100</b> <i>For reference:</i> 687826	VOLVO 140 Serie VOLVO 140 Serie VOLVO 164	1.8 2.0 3.0, 2.9	08/66-08/75 08/66-02/75 08/68-07/74	Inner diameter [mm]: 52
  Sender Unit, fuel tank	<b>8915801000</b> <i>For reference:</i> 676912	VOLVO 140 Serie VOLVO 164	2.0, 1.8 2.9	08/66-02/75 08/68-07/74	Version: Small
  Hose Fitting, fuel hose, 6-14mm	<b>8916000900</b> <i>For reference:</i> 943571	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 1.6 2.0, 1.8 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Diameter from [mm]: 6 Diameter to [mm]: 14
  Engine Mounting	<b>8917900402</b> <i>For reference:</i> 1206612	VOLVO 164	2.9, 3.0	08/68-07/74	



Description	Item no.	Application	Engine	Year	Criteria / Information
 V-Belt, 10x888mm	<b>8918000100</b> For reference: 976411	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.0 2.0, 1.8 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	Total Length [mm]: 888 Width [mm]: 10
 V-belt, 10x875 mm	<b>1118001600</b> For reference: 903098007ALT 0009975992 0019974592 0029978492 0059978392 053121039A 054903137D 059903137 059903137B 068903137A 068903137B 068903137L 068903137M 068913137L 0950350 0950353 0950354 0950355 0950356 0950358 0950360 107037 107037B 108017 11720D0101 11720D2000 11720D2005 11720D3300 11720D3301 11720D3310 11720N9800 11720R7410 11720V5500 11720V5501 11720V5510 11720W4405 119001020700 12311254121 12311268675 12318602025 1854712 2521121000 3009003 31110679004 31110679014 31110680004 31110PE9921 56992PE0003 56992PE0004 575026 60517424 6107712 6146161 72HF8620BA 7546910 8339939 83HF6C301AA 84HF6C301BA 90006259 9004832024 90088832 90169081 90183426 91142246 950350 950353 950354 950355 950356 950358 950360 958305	VOLVO 164 VOLVO 240 Serie VOLVO 740 VOLVO 940 VOLVO 940	2.9 2.1 2.3, 2.0 2.0 2.3 (B230E)	08/68-07/74 08/74-12/93 04/83-12/92 08/90-12/94 08/90-07/95	Width [mm]: 10 Length [mm]: 875

Description	Item no.	Application	Engine	Year	Criteria / Information
	<b>1118001600</b> 966904 973547 9932100870 9933100870 9933100880 9933110870 9933110880 9952100870 9952110873 9952110880 9990155 99919212350 99919213550 A0009975992 A0019974592 A0029978492 A0059978392 C36122 GFB10875 GFB273 J9933110870 UE34568 AAU8072				
 Oil Filter, original	<b>8918500302</b> <i>For reference:</i> 3517857	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 3.0, 2.9 2.0, 2.1, 2.3, 2.7, 2.8 1.8 2.0 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69 05/59-05/71 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	
 Stud pipe under oil filter	<b>8918550102</b> <i>For reference:</i> 418440	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.0 2.0, 1.8 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	
 Air filter element	<b>8918600602</b> <i>For reference:</i> 681609	VOLVO 140 Serie VOLVO 164	2.0 2.9	08/66-02/75 08/68-07/74	Filter type: Filter Insert Carburettor Type: Stromberg 175 CD2
 Air filter element. For dual SU carburetor	<b>8918600700</b> <i>For reference:</i> 679658	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO P1800	2.0 2.9 2.0 2.0 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-05/71 04/62-05/70	Filter type: Filter Insert

Description	Item no.	Application	Engine	Year	Criteria / Information
 Air filter element	<b>8918600902</b> <i>For reference:</i> 461177	VOLVO 164	2.9	08/68-07/74	Filter type: Filter Insert
 Bolt, hood	<b>8918650602</b> <i>For reference:</i> 955656	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 1.6 2.0, 1.8 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Bolt Head-/Nut Design: Hexagon Thread Type: UNF Thread Thread Size: 5/16" Length [mm]: 19
 Fuel filter inside tank	<b>8918700102</b> <i>For reference:</i> 688593	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO P1800 VOLVO P1800	2.0 3.0, 2.9 2.0, 2.1 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93 04/62-11/73 04/62-06/72	Fuel Type: Petrol Fitting Position: in fuel tank Filter type: Screen Filter
 Fuel filter, plastic	<b>8918700300</b> <i>For reference:</i> 464728	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9 1.6 2.0, 1.8 1.8 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 09/43-08/58 05/60-07/67	Fuel Type: Petrol Fuel Mixture Formation: Carburettor Filter type: In-Line Filter
 Fuel filter	<b>8918700400</b> <i>For reference:</i> 243214	VOLVO 140 Serie VOLVO 164 VOLVO P1800	2.0 2.9, 3.0 1.8, 2.0	08/66-02/75 08/68-07/74 04/62-11/73	Fuel Type: Petrol Filter type: Screw-on Filter

Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Gasket set crankcase</p>	<b>8918900410</b> <i>For reference:</i> 8918900410	VOLVO 164 VOLVO 240 Serie VOLVO 340-360 VOLVO 740 VOLVO 760 VOLVO 940 VOLVO 960	2.9 2.0, 2.1, 2.3 2.0 2.0, 2.3 2.3 2.0, 2.3 2.0, 2.3	08/68-07/74 08/74-12/93 08/75-07/91 04/83-12/92 08/81-07/92 08/90-12/94 08/90-07/94	
 <p>Oil seal for crankshaft, front</p>	<b>8919500100</b> <i>For reference:</i> 1276424 1276425	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 3.0, 2.9 2.0, 2.1, 2.7, 2.3, 2.8 1.8, 2.0 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69 08/61-07/67 05/60-07/67	Fitting Position: Timing End
 <p>Oil seal for crankshaft, rear</p>	<b>8919500200</b> <i>For reference:</i> 430118 6842093 6842160	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 2.3, 2.7, 2.8, 2.0, 2.1 1.8, 2.0 1.8 2.0 1.8, 1.6	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69 04/62-05/70 04/62-06/72 05/60-07/67	Fitting Position: Transmission End Material: Silicone
 <p>Seal flange for crankshaft, rear</p>	<b>8919600100</b> <i>For reference:</i> 1218634	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.0 1.8, 2.0 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	Fitting Position: Transmission End
 <p>Gasket for carburettor base/ air filter housing, upper, Stromberg carburettor</p>	<b>8919600300</b> <i>For reference:</i> 680642	VOLVO 140 Serie VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO PV/Duett	1.8 2.0 2.9 2.3, 2.0, 2.1 1.8, 2.0 1.8	08/66-08/75 08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69 05/60-02/69	Fitting Position: Upper Version: Stromberg 175






Description	Item no.	Application	Engine	Year	Criteria / Information
 Gasket for intake manifold	<b>8919601000</b> For reference: 1378913 461092	VOLVO 164	2.9, 3.0	08/68-07/74	
 Bolt for exhaust manifold 50 mm	<b>8920150200</b> For reference: 953243	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 3.0, 2.9 2.0 1.8, 2.0 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	Thread Type: UNC Thread Thread Size: 5/16" Total Length [mm]: 50 Fitting Position: Exhaust Manifold Fitting Position: Intake Manifold
 Bolt for exhaust manifold 45 mm	<b>8920150300</b> For reference: 953241	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.0 2.0, 1.8 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	Thread Type: UNC Thread Thread Size: 5/16" Total Length [mm]: 45 Fitting Position: Exhaust Manifold Fitting Position: Intake Manifold
 Bolt for exhaust manifold	<b>8920150400</b> For reference: 953259	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 3.0, 2.9 1.6 2.0, 1.8 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Thread Type: UNC Thread Thread Size: 3/8" Length [mm]: 26
 Front pipe 2-piece set	<b>8920200100</b> For reference: 293350 679106 679106-1 679106-2	VOLVO 164	2.9	08/68-07/74	Fitting Position: Front Quantity Unit: Kit

Description	Item no.	Application	Engine	Year	Criteria / Information
 Intermediate pipe	<b>8920400202</b> For reference: 688087	VOLVO 164	2.9, 3.0	08/68-07/74	Fitting Position: Front
 Middle Silencer	<b>8920500302</b> For reference: 688086	VOLVO 164 VOLVO 260 Serie	3.0, 2.9 2.7	08/68-07/74 08/74-12/81	Fitting Position: Front
 End Silencer	<b>8920600600</b> For reference: 1215169	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie	2.0 2.9 2.3, 2.0D, 2.8, 2.0, 2.1, 2.4D	08/66-02/75 08/68-07/74 08/74-12/93	
 Clamp for exhaust 42mm	<b>8921400500</b> For reference: 82306	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 3.0, 2.9 2.0, 2.0D, 2.1, 2.4D, 2.3, 2.7, 2.8  1.6 1.8, 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 08/74-12/93  05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Diameter [mm]: 42 Material: Stainless Steel
 Clamp for exhaust 45mm	<b>8921400600</b> For reference: 82307	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9 2.0, 2.1, 2.4D, 2.0D, 2.8, 2.3, 2.7  1.6 1.8, 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 08/74-12/93  05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Diameter [mm]: 45 Material: Steel

Description	Item no.	Application	Engine	Year	Criteria / Information
 Clamp for exhaust 48mm	<b>8921400700</b> For reference: 82308	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 2.8, 2.0, 2.3, 2.4D, 2.7, 2.0D, 2.1 1.6 2.0, 1.8 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93  05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Diameter [mm]: 48 Material: Steel
 Clamp for exhaust 50mm	<b>8921400800</b> For reference: 82309	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.3, 2.4D, 2.8, 2.7, 2.0, 2.0D, 2.1 1.6 2.0, 1.8 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93  05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Diameter [mm]: 50 Material: Steel
 Clamp for exhaust 54mm, galvanized	<b>8921400900</b> For reference: 82310	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 2.0, 2.1, 2.0D, 2.3, 2.4D, 2.7, 2.8 1.6 1.8, 2.0 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93  05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Diameter [mm]: 54 Surface: Galvanized
 Clamp for exhaust 67mm stainless steel	<b>8921401000</b> For reference: 8921401000	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 1.6 1.8, 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Diameter [mm]: 67 Material: Stainless Steel
 Clamp for exhaust 48mm stainless steel	<b>8921401200</b> For reference: RFK48	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 1.6 2.0, 1.8 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Diameter [mm]: 48 Material: Stainless Steel


Description	Item no.	Application	Engine	Year	Criteria / Information
 Clamp for exhaust 51mm stainless steel	<b>8921401300</b> <i>For reference:</i> RFK51	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 1.6 2.0, 1.8 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Diameter [mm]: 51 Material: Stainless Steel
 Clamp for exhaust 64mm stainless steel	<b>8921401700</b> <i>For reference:</i> RFK64	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 3.0, 2.9 1.6 1.8, 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Diameter [mm]: 64 Material: Stainless Steel
 Rubber bracket for exhaust front	<b>8921600500</b> <i>For reference:</i> 666407	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie VOLVO Amazon	2.0, 1.8 3.0, 2.9 2.3, 2.7, 2.8, 2.4D, 2.0, 2.0D, 2.1 2.7, 2.8 2.0, 1.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81 05/59-08/69	Fitting Position: Front
 Rubber bracket for exhaust rear	<b>8921600600</b> <i>For reference:</i> 676184	VOLVO 140 Serie VOLVO 164	1.8, 2.0 2.9, 3.0	08/66-02/75 08/68-07/74	Fitting Position: Rear
 Holder, exhaust system	<b>8921601700</b> <i>For reference:</i> 679116	VOLVO 140 Serie VOLVO 164	2.0, 1.8 3.0, 2.9	08/66-02/75 08/68-07/74	Diameter [mm]: 51



Description	Item no.	Application	Engine	Year	Criteria / Information
 Seal for heater control valve	<b>8923250100</b> For reference: 659357	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 1.6 2.0, 1.8 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	
 Heater hose flexible black	<b>8923500200</b> For reference: 944405	VOLVO 140 Serie VOLVO 164 VOLVO Amazon	2.0 2.9, 3.0 2.0	08/66-02/75 08/68-07/74 05/59-08/69	Inner diameter [mm]: 70 Outer diameter [mm]: 76 Length [mm]: 320 Material: Aluminium
 Heater hose	<b>8923502200</b> For reference: 680872	VOLVO 140 Serie VOLVO 140 Serie VOLVO 164	1.8 2.0 2.9, 3.0	08/66-08/75 08/66-02/75 08/68-07/74	Cooling Hose: from heating cooler to water pipe Inner diameter 1 [mm]: 25 Inner diameter 2 [mm]: 25
 Heater hose	<b>8923502300</b> For reference: 461087	VOLVO 164	2.9	08/68-07/74	Air Supply Hoses/Pipes: 010
 Heater hose	<b>8923502500</b> For reference: 460585	VOLVO 164 VOLVO 240 Serie	3.0, 2.9 2.3, 2.7, 2.0, 2.1, 2.4D, 2.8	08/68-07/74 08/74-12/93	Fitting Position: Outlet






Description	Item no.	Application	Engine	Year	Criteria / Information
 Tightening Strap, 19-28mm	<b>8923550200</b> <i>For reference:</i> 951789	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 1.6 1.8, 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Diameter from [mm]: 19 Diameter to [mm]: 28
 Clamp for heater hose 19-28mm original	<b>8923550302</b> <i>For reference:</i> 952652OE 952652	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 1.6, 2.0 1.8 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Diameter from [mm]: 19 Diameter to [mm]: 28
 Angled connector stud for heater hose at cylinder head	<b>8923550400</b> <i>For reference:</i> 418421	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800	2.0, 1.8 3.0, 2.9 2.0 1.6 1.8, 2.0 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72	Fitting Position: Rear Shape: angled Angle [°]: 90 Material: Stainless Steel Surface: Polished
 Spacer for exhaust manifold	<b>8925000102</b> <i>For reference:</i> 191169 419401	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 1.6 2.0, 1.8 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Outer diameter [mm]: 22
 Washer at exhaust manifold	<b>8925000200</b> <i>For reference:</i> 419416	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.0, 1.8 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	

Description	Item no.	Application	Engine	Year	Criteria / Information
 Clutch release bearing	<b>8930300100</b> <i>For reference:</i> 678985	VOLVO 164	2.9, 3.0	08/68-07/74	
 Clutch Kit	<b>8930400210</b> <i>For reference:</i> 104814	VOLVO 164	3.0, 2.9	08/68-07/74	Transmission Type: M30 3 Speed Transmission Type: M31 3 Speed OD Transmission Type: M40 4 Speed Transmission Type: M400 4 Speed Transmission Type: M41 4 Speed OD Transmission Type: M410 4 Speed OD Transmission Type: M45 4 Speed Transmission Type: M46 4 Speed OD Transmission Type: Manual Transmission
 Nut for clutch hose	<b>8931000700</b> <i>For reference:</i> 940153				Bolt / Nut Version: 023 Thread Type: UNC Thread Thread Size: 7/16"
 Bearing for manual transmission middle overdrive	<b>8931400700</b> <i>For reference:</i> 181092	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO P1800 VOLVO P1800	2.0, 1.8 3.0, 2.9 2.3, 2.7, 2.8, 2.0, 2.0D, 2.1, 2.4D 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93  04/62-05/70 04/62-06/72	Transmission Type: Overdrive Transmission Type: Planetgear Transmission Type: Type J Transmission Type: Type P
 Bearing for overdrive type J	<b>8931400900</b> <i>For reference:</i> 380693	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO P1800 VOLVO P1800	1.8, 2.0 3.0, 2.9 2.0, 1.6, 1.8 1.8 2.0	08/66-02/75 08/68-07/74 05/59-05/71 04/62-05/70 04/62-06/72	Transmission Type: Type J Transmission Type: Type P

Description	Item no.	Application	Engine	Year	Criteria / Information
 Wheel Bearing	<b>8931401200</b> For reference: 183573	VOLVO 164 VOLVO P1800	2.9, 3.0 2.0	08/68-07/74 08/69-06/72	Fitting Position: Rear
 Ball socket for shift stick plastic	<b>8931650202</b> For reference: 380198	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 1.6 2.0, 1.8 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-11/73 04/62-06/72 09/43-08/58 05/60-07/67	Material: Plastic
 Gasket set for overdrive type J	<b>8932000610</b> For reference: 380101	VOLVO 140 Serie VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO P1800 VOLVO P1800	1.8 2.0 2.9, 3.0 2.0D, 2.0, 2.1, 2.7, 2.3, 2.4D, 2.8 2.0 1.8 2.0	08/66-08/75 08/66-02/75 08/68-07/74 08/74-12/93  05/59-05/71 04/62-11/73 04/62-06/72	Transmission Type: Type J
 Gasket for gearbox lid	<b>8932000700</b> For reference: 380161 381107	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 1.6 2.0, 1.8 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Material: Cork
 Gasket for overdrive type J	<b>8932000900</b> For reference: 380618	VOLVO 164 VOLVO 240 Serie  VOLVO P1800	2.9, 3.0 2.0, 2.3, 2.7, 2.8, 2.0D, 2.1, 2.4D 2.0	08/68-07/74 08/74-12/93  08/69-06/72	Transmission Type: Type J Transmission Type: Type P

Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Oil seal for manual transmission</p>	<b>8932001600</b> <i>For reference:</i> 3502436 380914 656505	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 2.4D, 2.0, 2.0D, 2.1, 2.3, 2.7, 2.8 1.6, 2.0 1.8 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 08/74-12/93  05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Transmission Type: Manual Transmission
 <p>Gasket, manual transmission housing, front</p>	<b>8932001702</b> <i>For reference:</i> 381009	VOLVO 164 VOLVO P1800	2.9, 3.0 2.0	08/68-07/74 08/69-06/72	Fitting Position: Front
 <p>Oil seal for differential Spicer</p>	<b>8932100100</b> <i>For reference:</i> 9143317 942905	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie VOLVO 740 VOLVO 760 VOLVO 780 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 3.0, 2.9 2.0D, 2.1, 2.0, 2.4D, 2.3, 2.7, 2.8 2.7, 2.8 2.3, 2.0, 2.4D 2.4D, 2.3, 2.8 2.4D, 2.9 1.6 1.8, 2.0 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81 04/83-12/92 08/81-07/92 04/86-07/90 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Fitting Position: Rear Axle
 <p>Oil Seal for manual transmission</p>	<b>8932100400</b> <i>For reference:</i> 1233756 942350 946341	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie VOLVO 740 VOLVO 760 VOLVO 780 VOLVO 940 VOLVO 960 VOLVO 960 VOLVO Amazon VOLVO P1800 VOLVO P1800	1.8, 2.0 3.0, 2.9 2.8, 2.0D, 2.0, 2.1, 2.4D, 2.3, 2.7 2.8, 2.7 2.3, 2.4D, 2.0 2.4D, 2.3, 2.8 2.4D, 2.9 2.0, 2.3, 2.4D 2.0, 2.9, 2.4D, 2.3, 2.8 2.5 1.8, 2.0 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81 04/83-12/92 08/81-07/92 04/86-07/90 08/90-12/94 08/90-07/94 07/94-12/96 05/59-08/69 04/62-11/73 04/62-06/72	Inner diameter 1 [mm]: 39,4 Outer diameter 1 [mm]: 52 Height [mm]: 8 Fitting Position: Transmission Output Shaft
 <p>Oil seal for overdrive type J, rear</p>	<b>8932100700</b> <i>For reference:</i> 1232013 380684	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO P1800 VOLVO P1800	1.8, 2.0 3.0, 2.9 2.0, 2.1, 2.0D, 2.3, 2.7, 2.8, 2.4D 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93  04/62-05/70 04/62-06/72	Fitting Position: Rear Transmission Type: Overdrive Transmission Type: Type J Transmission Type: Type P

Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Oil seal for automatic gearbox, BW35</p>	<b>8932100900</b> <i>For reference:</i> 235517	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO P1800 VOLVO P1800	1.8, 2.0 2.9, 3.0 2.0, 2.0D, 2.1, 2.4D, 2.7, 2.3, 2.8 2.0, 1.8 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93  05/59-08/69 04/62-05/70 04/62-06/72	Transmission Type: Automatic Transmission
 <p>Oil seal for automatic gearbox, BW35/55/AW55/AW70/71</p>	<b>8932101000</b> <i>For reference:</i> 235728	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie VOLVO Amazon VOLVO Amazon	1.8, 2.0 3.0, 2.9 2.0D, 2.0, 2.1, 2.4D, 2.3, 2.7, 2.8 2.7, 2.8 1.6 2.0, 1.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81 05/59-05/71 05/59-08/69	
 <p>Oil seal for shift linkage, automatic transmission</p>	<b>8932101100</b> <i>For reference:</i> 235511	VOLVO 164	2.9, 3.0	08/68-07/74	
 <p>Mounting, manual transmission, original</p>	<b>8932400302</b> <i>For reference:</i> 683711	VOLVO 164 VOLVO P1800	2.9, 3.0 2.0	08/68-07/74 08/69-06/72	Fitting Position: 247
 <p>Mounting for transmission</p>	<b>8932400400</b> <i>For reference:</i> 1221967 662711	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800	2.0, 1.8 2.9, 3.0 2.0, 2.1, 2.3, 2.7, 2.4D, 2.8, 2.0D 1.6 1.8, 2.0 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93  05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72	Fitting Position: 247





Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Bearing, differential</p>	<b>8933000902</b> <i>For reference:</i> 181306-1	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO P1800 VOLVO P1800	2.0, 1.8 2.9, 3.0 2.3, 2.7, 2.0, 2.1, 2.4D, 2.0D, 2.8 2.0, 1.6, 1.8 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93  05/59-05/71 04/62-05/70 04/62-06/72	Fitting Position: Rear Axle
 <p>Bearing, differential, Spicer</p>	<b>8933001100</b> <i>For reference:</i> 181302	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie VOLVO 740 VOLVO 760 VOLVO 780 VOLVO 850 VOLVO 940 VOLVO 960 VOLVO 960 VOLVO Amazon VOLVO PV/Duett VOLVO S70 VOLVO S90 VOLVO V70 VOLVO V90	2.0, 1.8 2.9, 3.0 2.0, 2.1, 2.3, 2.7, 2.4D, 2.8, 2.0D 2.7, 2.8 2.3, 2.0, 2.4D 2.3, 2.8, 2.4D 2.9, 2.4D 2.5D, 2.0, 2.4, 2.3 2.0, 2.4D, 2.3 2.3, 2.8, 2.4D, 2.0, 2.9 2.5 1.8, 1.6, 2.0 1.6, 1.8 2.4, 2.0, 2.5D, 2.3 2.9, 2.5 2.4, 2.5D, 2.0, 2.3 2.5, 2.9	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81 04/83-12/92 08/81-07/92 04/86-07/90 06/91-10/97 08/90-12/94 08/90-07/94 07/94-12/96 05/59-05/71 08/61-07/67 11/96-11/00 11/96-10/98 12/95-12/00 11/96-12/98	Fitting Position: Rear Axle Fitting Position: Front
 <p>Bush, selector-/shift rod</p>	<b>8933001302</b> <i>For reference:</i> 191882	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800	1.8, 2.0 2.9, 3.0 2.4D, 2.0, 2.0D, 2.1, 2.3, 2.7, 2.8 1.6 2.0, 1.8 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93  05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72	
 <p>Mounting, support frame/ engine carrier</p>	<b>8940050200</b> <i>For reference:</i> 955562	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 1.6 2.0, 1.8 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Fitting Position: Front Bolt Head-/Nut Design: Hexagon Thread Type: UNC Thread Thread Size: 1/2" Length [mm]: 38
 <p>Bolt for lower front control arm</p>	<b>8940150202</b> <i>For reference:</i> 943659	VOLVO 140 Serie VOLVO 164	2.0, 1.8 2.9, 3.0	08/66-02/75 08/68-07/74	Fitting Position: Front Axle Fitting Position: Lower Length [mm]: 342

Description	Item no.	Application	Engine	Year	Criteria / Information
 Control arm bushing front lower	<b>8940200202</b> <i>For reference:</i> 683760	VOLVO 140 Serie VOLVO 164	1.8, 2.0 2.9, 3.0	08/66-02/75 08/68-07/74	Fitting Position: Front Axle Fitting Position: Lower Required quantity: 2
 Control Arm-/Trailing Arm Bush	<b>8940200302</b> <i>For reference:</i> 683267 683756	VOLVO 140 Serie VOLVO 140 Serie VOLVO 164	1.8 2.0 2.9, 3.0	08/66-08/75 08/66-02/75 08/68-07/74	Fitting Position: Front Axle
 Ball Joint	<b>8940300100</b> <i>For reference:</i> 683303	VOLVO 140 Serie VOLVO 164	1.8, 2.0 2.9, 3.0	08/66-02/75 08/68-07/74	Fitting Position: Lower Front Axle
 Ball Joint	<b>8940300680</b> <i>For reference:</i> 679291	VOLVO 140 Serie VOLVO 140 Serie VOLVO 164	1.8 2.0 2.9, 3.0	08/66-08/75 08/66-02/75 08/68-07/74	Fitting Position: Front Axle Right
 Spacer sleeve for stabilizer bolt front	<b>8940550302</b> <i>For reference:</i> 677561	VOLVO 140 Serie VOLVO 164	2.0, 1.8 3.0, 2.9	08/66-02/75 08/68-07/74	Fitting Position: Front Axle




Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Bolt for upper ball joint</p>	<b>8941000100</b> For reference: 940135	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 3.0, 2.9 1.6 1.8, 2.0 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Bolt Head-/Nut Design: Hexagon Thread Type: UNC Thread Thread Size: 5/16" Length [mm]: 25
 <p>Bolt for upper ball joint</p>	<b>8941000200</b> For reference: 940161	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 1.6 1.8, 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Bolt Head-/Nut Design: Hexagon Thread Type: UNC Thread Thread Size: 5/16" Length [mm]: 45 Quality/ Grade: 5 (8.8)
 <p>Sleeve for control arm front rear lower</p>	<b>8941000502</b> For reference: 683265	VOLVO 140 Serie VOLVO 140 Serie VOLVO 164	1.8 2.0 2.9, 3.0	08/66-08/75 08/66-02/75 08/68-07/74	Fitting Position: Front Axle Fitting Position: Rear Fitting Position: Lower
 <p>Sleeve for control arm front front lower</p>	<b>8941000602</b> For reference: 683264	VOLVO 140 Serie VOLVO 140 Serie VOLVO 164	1.8 2.0 3.0, 2.9	08/66-08/75 08/66-02/75 08/68-07/74	Fitting Position: Front Axle Fitting Position: Front Fitting Position: Lower
 <p>Washer for control arm mounting</p>	<b>8941000902</b> For reference: 18702	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.3, 2.4D, 2.7, 2.8, 2.0, 2.0D, 2.1 1.6 2.0, 1.8 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93  05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Friction Lining Inner Diameter [mm]: 14,5 Outer diameter [mm]: 38 Thickness [mm]: 3

Description	Item no.	Application	Engine	Year	Criteria / Information
 Fastening Bolts, control arm	<b>8941001000</b> <i>For reference:</i> 950357				Bolt / Nut Version: Thread Type: UNC Thread Thread Size: 9/16"
 Rubber seal at wheel bearing	<b>8941250202</b> <i>For reference:</i> 944185	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie	1.8, 2.0 3.0, 2.9 2.0, 2.1, 2.0D, 2.3, 2.7, 2.8, 2.4D	08/66-02/75 08/68-07/74 08/74-12/93	Fitting Position: Front Axle
 Wheel Bearing Kit, front	<b>8941300310</b> <i>For reference:</i> 273161	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO 260 Serie	2.0, 1.8 2.9, 3.0 2.0, 2.1, 2.4D, 2.0D, 2.3 2.7	08/66-02/75 08/68-07/74 08/74-12/93 08/74-12/81	Fitting Position: Front Axle left and right
 Split pin	<b>8942000300</b> <i>For reference:</i> 907849	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 1.6 2.0, 1.8 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Fitting Position: Front and Rear Fitting Position: Wheel Side
 Washer for shock absorber bolt	<b>8942150200</b> <i>For reference:</i> 960145	VOLVO 140 Serie VOLVO 164	2.0, 1.8 2.9, 3.0	08/66-02/75 08/68-07/74	Fitting Position: Rear Axle Fitting Position: Lower

Description	Item no.	Application	Engine	Year	Criteria / Information
 Bolt 3/8" 32mm	<b>8942550202</b> <i>For reference:</i> 955535	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 1.6 2.0, 1.8 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Bolt Head-/Nut Design: Hexagon Thread Type: UNC Thread Thread Size: 3/8" Length [mm]: 32
 Bolt 3/8" 51mm	<b>8942550302</b> <i>For reference:</i> 955537	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 1.6 2.0, 1.8 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Bolt Head-/Nut Design: Hexagon Thread Type: UNC Thread Thread Size: 3/8" Length [mm]: 51
 Bolt 5/16" 19mm	<b>8942550400</b> <i>For reference:</i> 955524	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 3.0, 2.9 1.6 1.8, 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Bolt Head-/Nut Design: Hexagon Thread Type: UNC Thread Thread Size: 5/16" Length [mm]: 19
 Bump stop for front control arm lower with nut	<b>8942600100</b> <i>For reference:</i> 675253	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie	1.8, 2.0 2.9, 3.0 2.3, 2.7, 2.8, 2.0, 2.0D, 2.1, 2.4D	08/66-02/75 08/68-07/74 08/74-12/93	Fitting Position: Front Axle Required quantity: 2
 Rubber stop for suspension front/rear	<b>8942600202</b> <i>For reference:</i> 83107	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 1.6 1.8, 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Diameter [mm]: 37

Description	Item no.	Application	Engine	Year	Criteria / Information
 Nut original	<b>8942650102</b> <i>For reference:</i> 971071				Bolt Head-/Nut Design: Hexagon Thread Type: with metric thread Thread Size: M10 Surface: Zinc-coated Fitting Position: Front Axle Fitting Position: Rear Axle
 Rod Assembly left	<b>8944400470</b> <i>For reference:</i> 1206231	VOLVO 140 Serie VOLVO 140 Serie VOLVO 164	1.8 2.0 2.9	08/66-08/75 08/66-02/75 08/68-07/74	Fitting Position: Front Axle Left Fitting Position: Outer
 Rod Assembly right	<b>8944400480</b> <i>For reference:</i> 1206232	VOLVO 140 Serie VOLVO 140 Serie VOLVO 164	1.8 2.0 2.9	08/66-08/75 08/66-02/75 08/68-07/74	Fitting Position: Front Axle Right Fitting Position: Outer
 Joint for steering column	<b>8945600100</b> <i>For reference:</i> 664428	VOLVO 164 VOLVO P1800 VOLVO P1800	2.9, 3.0 1.8 2.0	08/68-07/74 04/62-05/70 04/62-06/72	Joint Type: Disc Joint
 Rubber stop for rear axle	<b>8950050102</b> <i>For reference:</i> 683423	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie	1.8, 2.0 3.0, 2.9 2.0D, 2.1, 2.4D, 2.3, 2.7, 2.8, 2.0 2.7, 2.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81	Fitting Position: Rear Axle

Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Fastening bolt for axle carrier</p>	<b>8950050300</b> <i>For reference:</i> 955569	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 1.8, 2.0 1.8 2.0 1.8	08/66-02/75 08/68-07/74 05/59-08/69 04/62-11/73 04/62-06/72 05/60-02/69	Bolt Head-/Nut Design: Hexagon Thread Type: UNC Thread Thread Length [mm]: 83 Thread Size: 12,7 mm
 <p>Bolt with nut for rear track control arm</p>	<b>8950150300</b> <i>For reference:</i> 941858	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO P1800 VOLVO P1800	1.8, 2.0 2.9, 3.0 1.8, 2.0 1.8 2.0	08/66-02/75 08/68-07/74 05/59-05/71 04/62-11/73 04/62-06/72	Fitting Position: Rear Axle
 <p>Bolt for radiator and axle beam mounting</p>	<b>8950150400</b> <i>For reference:</i> 940115R 940115	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.7, 2.3, 2.8, 2.0, 2.0D, 2.1, 2.4D 1.6 1.8, 2.0 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93  05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Bolt Head-/Nut Design: Hexagon Thread Type: UNC Thread Thread Size: 3/8" Length [mm]: 25
 <p>Bolt with collar for radiator and axle beam mounting</p>	<b>8950150502</b> <i>For reference:</i> 940115	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 3.0, 2.9 2.0D, 2.0, 2.1, 2.4D, 2.3, 2.7, 2.8 1.6 1.8, 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 08/74-12/93  05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Bolt Head-/Nut Design: Hexagon Thread Type: UNC Thread Thread Size: 3/8" Length [mm]: 25
 <p>Track Control Arm without bushings</p>	<b>8950200200</b> <i>For reference:</i> 686704 686729	VOLVO 140 Serie VOLVO 140 Serie VOLVO 164	1.8 2.0 2.9, 3.0	08/66-08/75 08/66-02/75 08/68-07/74	Fitting Position: Rear Axle Steering arm type: Control Arm Supplementary Article/ Supplementary Info: without bush

Description	Item no.	Application	Engine	Year	Criteria / Information
  Stabilizer arm rear original	<b>8950200602</b> <i>For reference:</i> 672616	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO P1800 VOLVO P1800	1.8, 2.0 2.9 1.8, 2.0 1.8 2.0	08/66-02/75 08/68-07/74 05/59-08/69 04/62-11/73 04/62-06/72	Fitting Position: Rear Axle Rod/Strut: Coupling Rod
  Torque rod rear original	<b>8950200700</b> <i>For reference:</i> 1273621	VOLVO 164 VOLVO 240 Serie	3.0, 2.9 2.0, 2.1, 2.4D, 2.3, 2.7, 2.0D, 2.8	08/68-07/74 08/74-12/93	Fitting Position: Rear Axle Steering arm type: Trailing Arm
  Bolt, axle strut	<b>8950250300</b> <i>For reference:</i> 955568	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 1.6 2.0, 1.8 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Bolt Head-/Nut Design: Hexagon Thread Type: UNC Thread Inch Thread [inch]: 1/2" Total Length [mm]: 76
  Mounting, axle bracket	<b>8950250602</b> <i>For reference:</i> 955804				Thread Type: UNF Thread Thread Size: 9/16"
  Control arm bushing rear reinforced	<b>8950300100</b> <i>For reference:</i> 678887	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO P1800 VOLVO P1800	1.8, 2.0 2.9, 3.0 2.0, 1.8 1.8 2.0	08/66-02/75 08/68-07/74 05/59-05/71 04/62-11/73 04/62-06/72	Fitting Position: Rear Axle Heavy Duty Version:






Description	Item no.	Application	Engine	Year	Criteria / Information
 Rubber bushing for pull rod rear	<b>8950301200</b> <i>For reference:</i> 678790	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO P1800 VOLVO P1800	1.8, 2.0 2.9, 3.0 2.0, 1.8 1.8 2.0	08/66-02/75 08/68-07/74 05/59-05/71 04/62-11/73 04/62-06/72	Fitting Position: Rear Axle Equipment Variant: For pull rod
 Control arm bushing	<b>8950301300</b> <i>For reference:</i> 675778	VOLVO 140 Serie VOLVO 164	1.8, 2.0 3.0, 2.9	08/66-02/75 08/68-07/74	Fitting Position: Rear Axle Equipment Variant: For support arm
 Control arm bushing panhard	<b>8950301400</b> <i>For reference:</i> 672226	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon	1.8, 2.0 2.9, 3.0 1.8 2.0	08/66-02/75 08/68-07/74 05/59-08/69 05/59-05/71	Fitting Position: Rear Axle Equipment Variant: For Panhard rod
 Control arm bushing polyurethane	<b>8950301900</b> <i>For reference:</i> 678790	VOLVO 140 Serie VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO P1800 VOLVO P1800	1.8 2.0 3.0, 2.9 2.0 1.8 2.0	08/66-08/75 08/66-02/75 08/68-07/74 05/59-08/69 04/62-11/73 04/62-06/72	Fitting Position: Rear Axle Material: PU (Polyurethane)
 Control arm bushing polyurethane	<b>8950302000</b> <i>For reference:</i> 672226PU32 672226	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO P1800 VOLVO P1800	1.8, 2.0 2.9, 3.0 2.0, 1.8 1.8 2.0	08/66-02/75 08/68-07/74 05/59-05/71 04/62-11/73 04/62-06/72	Fitting Position: Rear Axle Outer diameter [mm]: 32 Material: PU (Polyurethane) Mounting Type: Soft Version

Description	Item no.	Application	Engine	Year	Criteria / Information
 Control arm bushing polyurethane	<b>8950302100</b> <i>For reference:</i> 676914PU 676914	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO P1800 VOLVO P1800	1.8, 2.0 2.9, 3.0 2.0 1.8 2.0	08/66-02/75 08/68-07/74 05/59-05/71 04/62-11/73 04/62-06/72	Fitting Position: Rear Axle Material: PE (Polyethylene) Heavy Duty Version:
 Fastening bolt for stabilizer mount	<b>8950400202</b> <i>For reference:</i> 940114	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 1.6 2.0, 1.8 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Bolt Head-/Nut Design: Hexagon Thread Type: UNC Thread Thread Size: 3/8" Length [mm]: 22
 Gasket for differential Spicer	<b>8951000300</b> <i>For reference:</i> 137732 89254	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 2.0, 2.0D, 2.1, 2.4D, 2.3, 2.7, 2.8  1.6 2.0, 1.8 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93  05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Manufacturer Restriction: Spicer
 Bolt for rear control arm bush	<b>8951000602</b> <i>For reference:</i> 955744	VOLVO 140 Serie VOLVO 164	1.8, 2.0 2.9, 3.0	08/66-02/75 08/68-07/74	Fitting Position: Rear Axle Fitting Position: Rear
 Bolt for control arm, upper	<b>8951000702</b> <i>For reference:</i> 679173 947618 955550	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 1.6 1.8, 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Bolt Head-/Nut Design: Hexagon Thread Type: UNC Thread Thread Size: 7/16" Length [mm]: 51



Description	Item no.	Application	Engine	Year	Criteria / Information
 Bearing, wheel bearing housing	<b>8951250500</b> <i>For reference:</i> 955848				Thread Type: UNF Thread Thread Size: 3/8"
 Spacer Sleeve, wheel bearing	<b>8951250702</b> <i>For reference:</i> 383168	VOLVO 140 Serie VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie VOLVO 740 VOLVO 760 VOLVO 780 VOLVO P1800 VOLVO P1800	1.8 2.0 2.9, 3.0 2.3, 2.7, 2.8, 2.4D, 2.0, 2.0D, 2.1 2.8, 2.7 2.0, 2.4D, 2.3 2.3, 2.4D, 2.8 2.9, 2.4D 1.8 2.0	08/66-08/75 08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81 04/83-12/92 08/81-07/92 04/86-07/90 04/62-11/73 04/62-06/72	Fitting Position: Rear Axle left and right
 Wheel Bearing Kit, right, left	<b>8951300310</b> <i>For reference:</i> 273872	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie	2.0 3.0, 2.9 2.0, 2.0D, 2.1, 2.3, 2.7, 2.8, 2.4D	08/66-02/75 08/68-07/74 08/74-12/93	Fitting Position: Rear Axle left and right
 Wheel Bearing Kit rear left/ right	<b>8951300510</b> <i>For reference:</i> 1469	VOLVO 140 Serie VOLVO 164	1.8, 2.0 2.9	08/66-02/75 08/68-07/74	Fitting Position: Rear Axle Left Fitting Position: Rear Axle Right
 Split pin for rear axle nut	<b>8952000100</b> <i>For reference:</i> 191174	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 1.6 2.0, 1.8 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Fitting Position: Rear Axle

Description	Item no.	Application	Engine	Year	Criteria / Information
 Shock Absorber, rear, oil, MONROE	<b>8952100600</b> For reference: 273355	VOLVO 140 Serie VOLVO 164	1.8, 2.0 2.9, 3.0	08/66-02/75 08/68-07/74	Fitting Position: Rear Axle Shock Absorber Type: Oil Pressure Version: MONROE
 Rubber bush for shock absorber original	<b>8952150102</b> For reference: 89567	VOLVO 140 Serie VOLVO 164 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 09/43-08/58 05/60-07/67	
 Coil spring, rear	<b>8952200100</b> For reference: 1212426	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie	2.0 2.9 2.0, 2.1, 2.3, 2.4D, 2.7, 2.8, 2.0D 2.8, 2.7	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81	Fitting Position: Rear Axle
 Coil spring, rear	<b>8952200200</b> For reference: 677252 683916	VOLVO 140 Serie VOLVO 164	1.8, 2.0 2.9, 3.0	08/66-02/75 08/68-07/74	Fitting Position: Rear Axle Length [mm]: 420 Diameter [mm]: 13,2
 Spring Cap	<b>8952500500</b> For reference: 1206811	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie	1.8, 2.0 3.0, 2.9 2.0, 2.1, 2.0D, 2.3, 2.7, 2.8, 2.4D 2.7, 2.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81	Fitting Position: Rear Axle Fitting Position: Lower

Description	Item no.	Application	Engine	Year	Criteria / Information
 Axle Bolt rear	<b>8953150102</b> <i>For reference:</i> 955676	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 1.6 1.8, 2.0 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Fitting Position: Rear Axle Bolt Head-/Nut Design: Hexagon Thread Type: UNF Thread Thread Size: 3/8" Length [mm]: 32
 Joint for propeller shaft	<b>8953800400</b> <i>For reference:</i> 1220786 231311	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO P1800 VOLVO P1800	2.0 3.0, 2.9 2.0, 2.0D, 2.1, 2.3, 2.4D, 2.8, 2.7 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93  04/62-11/73 04/62-06/72	Joint Type: Universal Joint Diameter [mm]: 83
 Axle Bolt set for drive shaft original	<b>8953850212</b> <i>For reference:</i> 273977	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO P1800 VOLVO P1800	2.0 2.9, 3.0 2.0, 2.0D, 2.1, 2.4D, 2.3, 2.7, 2.8 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93  04/62-11/73 04/62-06/72	Fitting Position: Rear Axle Thread Size: 3/8" Thread Type: UNC Thread
 Spring for propshaft mounting original	<b>8953850302</b> <i>For reference:</i> 683537	VOLVO 140 Serie VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO P1800 VOLVO P1800	1.8 2.0 2.9, 3.0 2.7, 2.3, 2.8, 2.0D, 2.0, 2.1, 2.4D 1.8 2.0	08/66-08/75 08/66-02/75 08/68-07/74 08/74-12/93  04/62-11/73 04/62-06/72	
 Spacer for propshaft joint	<b>8953850400</b> <i>For reference:</i> 682707	VOLVO 140 Serie VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO P1800 VOLVO P1800	1.8 2.0 2.9, 3.0 2.0, 2.1, 2.3, 2.4D, 2.7, 2.8, 2.0D 1.8 2.0	08/66-08/75 08/66-02/75 08/68-07/74 08/74-12/93  04/62-11/73 04/62-06/72	Equipment Variant: Spacer

Description	Item no.	Application	Engine	Year	Criteria / Information
 Mounting, propshaft	<b>8953900200</b> <i>For reference:</i> 686668	VOLVO 140 Serie VOLVO 164	2.0 2.9, 3.0	08/66-02/75 08/68-07/74	for propshaft ID: 1310
 Hub cap	<b>8960200300</b> <i>For reference:</i> 684835	VOLVO 140 Serie VOLVO 164 VOLVO P1800 VOLVO P1800	1.8, 2.0 2.9, 3.0 1.8 2.0	08/66-02/75 08/68-07/74 04/62-11/73 04/62-06/72	Material: Steel Surface: Chromed Rims: Steel Rim
 Trim rim set for rims 15", stainless steel	<b>8960300110</b> <i>For reference:</i> 11111T	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.0, 2.1 1.6 2.0, 1.8 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Material: Stainless Steel Diameter [mm]: 381
 Cover, wheels	<b>8960300200</b> <i>For reference:</i> 682086	VOLVO 140 Serie VOLVO 164 VOLVO P1800 VOLVO P1800	1.8, 2.0 3.0, 2.9 1.8 2.0	08/66-02/75 08/68-07/74 04/62-11/73 04/62-06/72	Diameter [mm]: 381 Wheel Diameter [in]: 15
 Wheel cover black "V"	<b>8960300300</b> <i>For reference:</i> 670437	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.0, 1.8 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 05/59-08/69 04/62-05/70 08/69-06/72 08/61-07/67 05/60-07/67	Colour: Chrome / Black Material: Steel Rims: for steel rims


Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Wheel bolt</p>	<b>8960400500</b> For reference: 1229808 676338	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO P1800 VOLVO P1800	1.8, 2.0 2.9, 3.0 2.3, 2.4D, 2.7, 2.8, 2.0D, 2.0, 2.1 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93  04/62-11/73 04/62-06/72	
 <p>Wheel Nut</p>	<b>8960400800</b> For reference: 87699	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 3.0, 2.9 2.3, 2.7, 2.8, 2.0, 2.0D, 2.1, 2.4D 1.6 1.8, 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 08/74-12/93  05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Spanner Size: 19 Surface: Zinc-coated
 <p>Wheel Nut chromed</p>	<b>8960400900</b> For reference: 1273332	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 2.3, 2.7, 2.8, 2.4D, 2.0, 2.0D, 2.1 1.6 2.0, 1.8 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93  05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Spanner Size: 19 Surface: Chromed
 <p>Wheel Nut set chromed</p>	<b>8960401010</b> For reference: 1333684	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 3.0, 2.9 2.0, 2.0D, 2.1, 2.3, 2.4D, 2.7, 2.8 1.6 1.8, 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 08/74-12/93  05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Surface: Chromed Quantity Unit: Kit
 <p>Valve, tyre pressure control system</p>	<b>8961000300</b> For reference: TR415	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 2.3, 2.7, 2.8, 2.0, 2.1, 2.0D, 2.4D 1.6 1.8, 2.0 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93  05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Diameter [mm]: 15,7 Rims: for steel rims

Description	Item no.	Application	Engine	Year	Criteria / Information
 Master brake cylinder	<b>8961100600</b> <i>For reference:</i> 673766	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO P1800 VOLVO P1800	2.0, 1.8 2.9, 3.0 2.0, 1.8 1.8 2.0	08/66-02/75 08/68-07/74 05/59-08/69 04/62-11/73 04/62-06/72	Driver Position: for left-/ right-hand traffic Number of circuits: 2 Mounting bores distance [mm]: 60
 Repair Kit for master brake cylinder	<b>8961150210</b> <i>For reference:</i> 273125	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO P1800 VOLVO P1800	2.0, 1.8 3.0, 2.9 1.8, 2.0 1.8 2.0	08/66-02/75 08/68-07/74 05/59-05/71 04/62-11/73 04/62-06/72	Number of circuits: 2 Version: ATE for article number: 8961100600
 Nut for brake master cylinder	<b>8961150600</b> <i>For reference:</i> 955847				Thread Type: UNC Thread Thread Size: 5/16"
 Brake pressure regulator set	<b>8961400110</b> <i>For reference:</i> 677588-89 677588 677589	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO P1800	2.0, 1.8 3.0, 2.9 2.0 1.8, 2.0	08/66-02/75 08/68-07/74 05/59-05/71 04/62-11/73	Fitting Position: Rear Axle Number of circuits: 2
 Brake line nipple	<b>8961550400</b> <i>For reference:</i> 87698-1	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 1.6 1.8, 2.0 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	


Description	Item no.	Application	Engine	Year	Criteria / Information
 Bracket for brake lines	<b>8961551100</b> <i>For reference:</i> 121572	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 3.0, 2.9 1.6 1.8, 2.0 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Number of circuits: 2
 Gasket for brake hose, copper	<b>8961650100</b> <i>For reference:</i> 18651	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 1.6 2.0, 1.8 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Material: Copper
 Nut for brake hose	<b>8961650300</b> <i>For reference:</i> 955858				
 Serrated locking washer for brake hose	<b>8961650400</b> <i>For reference:</i> 955950	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 2.0, 2.1, 2.7, 2.0D, 2.3, 2.4D, 2.8 1.6 1.8, 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 08/74-12/93  05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Diameter [mm]: 9.5 Surface: Zinc-coated
 Holding bracket for brake hose	<b>8961650600</b> <i>For reference:</i> 678052	VOLVO 140 Serie VOLVO 164	1.8, 2.0 3.0, 2.9	08/66-02/75 08/68-07/74	Fitting Position: Front Axle






Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Brake hose, rear</p>	<b>8961700200</b> <i>For reference:</i> 670201	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO P1800 VOLVO P1800	1.8, 2.0 2.9, 3.0 2.0 1.8 2.0	08/66-02/75 08/68-07/74 05/59-08/69 04/62-05/70 04/62-06/72	Fitting Position: Rear Axle Left Fitting Position: Rear Axle Right
 <p>Valve for brake booster</p>	<b>8961850100</b> <i>For reference:</i> 678407 9485451	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO Amazon	2.0, 1.8 2.9, 3.0 2.3, 2.7, 2.0, 2.4D, 2.8, 2.0D, 2.1 1.6 2.0, 1.8	08/66-02/75 08/68-07/74 08/74-12/93  05/59-05/71 05/59-08/69	Diameter [mm]: 11,8 Valve type: Non-return Valve
 <p>Vacuum Hose, brake booster, 1000mm</p>	<b>8961850200</b> <i>For reference:</i> 1272328 3524376	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 3.0, 2.9 2.0, 2.0D, 2.1, 2.3, 2.4D, 2.7, 2.8 1.6 1.8, 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 08/74-12/93  05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Inner diameter [mm]: 11 Outer diameter [mm]: 18 Length [mm]: 1000
 <p>Repair set for brake power regulator dual circuit system</p>	<b>8961850510</b> <i>For reference:</i> 273090	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO P1800 VOLVO P1800	2.0 2.9, 3.0 2.0 1.8 2.0	08/66-02/75 08/68-07/74 05/59-05/71 04/62-11/73 04/62-06/72	Number of circuits: 2
 <p>Brake caliper, front, left</p>	<b>8961900270</b> <i>For reference:</i> 684432	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO P1800 VOLVO P1800	2.0 2.9 2.0 1.8 2.0	08/66-02/75 08/68-07/74 05/59-08/69 04/62-11/73 04/62-06/72	Fitting Position: Front Axle Left Brake Disc Type: Solid Number of circuits: 2 Manufacturer Restriction: Girling



Description	Item no.	Application	Engine	Year	Criteria / Information
 Brake Caliper, right, front	<b>8961900280</b> <i>For reference:</i> 684433	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO P1800 VOLVO P1800	2.0 2.9 2.0 1.8 2.0	08/66-02/75 08/68-07/74 05/59-08/69 04/62-11/73 04/62-06/72	Fitting Position: Front Axle Right Brake Disc Type: Solid Number of circuits: 2 Manufacturer Restriction: Girling
 Bolt, brake caliper	<b>8961950200</b> <i>For reference:</i> 955539	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 1.6 2.0, 1.8 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Bolt Head-/Nut Design: Hexagon Thread Type: UNC Thread Thread Size: 3/8" Length [mm]: 64
 Bolt, brake caliper, 2-circuit, front	<b>8961950400</b> <i>For reference:</i> 943506	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO P1800 VOLVO P1800	1.8, 2.0 2.9, 3.0 2.0 1.8 2.0	08/66-02/75 08/68-07/74 05/59-05/71 04/62-11/73 04/62-06/72	Fitting Position: Front Axle Number of circuits: 2 Thread Size: UNF 1/2-20x1/4" Length [mm]: 32
 Repair set for brake caliper front	<b>8961950510</b> <i>For reference:</i> 273071	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO P1800 VOLVO P1800	2.0, 1.8 2.9, 3.0 2.0, 2.1 2.0 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69 04/62-11/73 04/62-06/72	Fitting Position: Front Axle Number of circuits: 2
 Tab washer for brake caliper front original	<b>8961950702</b> <i>For reference:</i> 688769	VOLVO 164	2.9, 3.0	08/68-07/74	Fitting Position: at brake caliper Equipment Variant: Clip for caliper Brake System: ATE

Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Repair set for brake caliper rear 36mm Girling</p>	<b>8961950910</b> <i>For reference:</i> 03-8848004	VOLVO 140 Serie VOLVO 164	2.0, 1.8 2.9	08/66-02/75 08/68-07/74	Fitting Position: Rear Axle Diameter [mm]: 36 Version: Girling
 <p>Brake caliper, rear, left, Girling</p>	<b>8962000170</b> <i>For reference:</i> 5002004 685324	VOLVO 140 Serie VOLVO 140 Serie VOLVO 164 VOLVO P1800 VOLVO P1800	1.8 2.0 2.9, 3.0 1.8 2.0	08/66-08/75 08/66-02/75 08/68-07/74 04/62-11/73 04/62-06/72	Fitting Position: Rear Axle Fitting Position: Left Piston Diameter [mm]: 38 Version: Girling Brake Disc Type: Solid
 <p>Brake caliper, rear, right Girling</p>	<b>8962000180</b> <i>For reference:</i> 685325	VOLVO 140 Serie VOLVO 140 Serie VOLVO 164 VOLVO P1800 VOLVO P1800	1.8 2.0 3.0, 2.9 1.8 2.0	08/66-08/75 08/66-02/75 08/68-07/74 04/62-11/73 04/62-06/72	Fitting Position: Rear Axle Fitting Position: Right Piston Diameter [mm]: 38 Version: Girling Brake Disc Type: Solid
 <p>Bolt, brake caliper, rear</p>	<b>8962050300</b> <i>For reference:</i> 943507	VOLVO 140 Serie VOLVO 164 VOLVO P1800 VOLVO P1800	2.0, 1.8 3.0, 2.9 1.8 2.0	08/66-02/75 08/68-07/74 04/62-11/73 04/62-06/72	Fitting Position: Rear Axle
 <p>Cap for brake bleeder valve</p>	<b>8963000100</b> <i>For reference:</i> 656456	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.3, 2.4D, 2.7, 2.8, 2.0D, 2.0, 2.1 2.7, 2.8 1.8 2.0, 1.6 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81 05/59-08/68 05/59-05/71 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Fitting Position: at brake caliper

Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Brake disc, rear, 295x9.6 mm</p>	<b>8963200100</b> <i>For reference:</i> 270731 676812	VOLVO 140 Serie VOLVO 164 VOLVO P1800 VOLVO P1800	2.0, 1.8 3.0, 2.9 1.8 2.0	08/66-02/75 08/68-07/74 04/62-11/73 04/62-06/72	Fitting Position: Rear Axle Brake Disc Type: Solid Outer diameter [mm]: 295 Brake Disc Thickness [mm]: 9,6
 <p>Brake Pad Set front Girling</p>	<b>8963600210</b> <i>For reference:</i> 271739	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO P1800 VOLVO P1800	2.0, 1.8 2.9, 3.0 2.3, 2.7, 2.8, 2.0, 2.1, 2.4D, 2.0D 2.0 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93  05/59-08/69 04/62-11/73 04/62-06/72	Fitting Position: Front Axle Version: Girling
 <p>Anti-Squeal Foil, brake pad (back plate), set, Girling</p>	<b>8963650110</b> <i>For reference:</i> W1217	VOLVO 140 Serie VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO 260 Serie VOLVO 260 Serie VOLVO Amazon VOLVO Amazon	1.8 2.0 2.9 2.0, 2.1, 2.3, 2.7, 2.4D 2.7 2.8 1.8 2.0, 1.6	08/66-08/75 08/66-02/75 08/68-07/74 08/74-12/93 08/74-12/81 08/74-07/82 05/59-08/69 05/59-05/71	Fitting Position: Front Brake System: TRW
 <p>Brake pad set, rear, Girling</p>	<b>8963700112</b> <i>For reference:</i> 270164 272567 272780 272868 272876 275895 31261184	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO P1800 VOLVO P1800	1.8, 2.0 2.9, 3.0 2.3, 2.4D, 2.8, 2.7, 2.0, 2.0D, 2.1 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93  04/62-11/73 04/62-06/72	Fitting Position: Rear Axle Version: Girling
 <p>Brake pad set, rear</p>	<b>8963700117</b> <i>For reference:</i> 270164 272567 272780 272868 272876 275895 31261184	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO P1800 VOLVO P1800	1.8, 2.0 2.9, 3.0 2.0D, 2.4D, 2.0, 2.1, 2.3, 2.7, 2.8 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93  04/62-11/73 04/62-06/72	Fitting Position: Rear Axle

Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Anti-Squeak plates for brake pads rear ATE &amp; Girling</p>	<b>8963750110</b> <i>For reference:</i> 1359772	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO P1800 VOLVO P1800	2.0, 1.8 2.9, 3.0 2.0, 2.3, 2.7, 2.8, 2.0D, 2.1, 2.4D 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93  04/62-11/73 04/62-06/72	Fitting Position: Rear Axle left and right Material: Sheet Steel Quantity Unit: Kit
 <p>Brake Shoe Set, parking brake</p>	<b>8963900110</b> <i>For reference:</i> 275873 3516113	VOLVO 140 Serie VOLVO 164 VOLVO P1800 VOLVO P1800	2.0 2.9, 3.0 1.8 2.0	08/66-02/75 08/68-07/74 04/62-11/73 04/62-06/72	Fitting Position: Rear Axle left and right
 <p>Brake Shoe Set for parking brake</p>	<b>8963900210</b> <i>For reference:</i> 275872 3516112	VOLVO 164 VOLVO P1800 VOLVO P1800	2.9 1.8 2.0	08/68-07/74 04/62-11/73 04/62-06/72	Fitting Position: Rear Axle
 <p>Spring for brake shoe</p>	<b>8963950200</b> <i>For reference:</i> 1212192	VOLVO 140 Serie VOLVO 164 VOLVO P1800 VOLVO P1800	2.0, 1.8 2.9, 3.0 1.8 2.0	08/66-02/75 08/68-07/74 04/62-11/73 04/62-06/72	
 <p>Bolt, brake caliper, front, original</p>	<b>8964001202</b> <i>For reference:</i> 688770	VOLVO 164	3.0, 2.9	08/68-07/74	Fitting Position: Front Manufacturer Restriction: ATE

Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Splash panel, left, front</p>	<b>8964200470</b> <i>For reference:</i> 675359	VOLVO 140 Serie VOLVO 164	2.0, 1.8 3.0, 2.9	08/66-02/75 08/68-07/74	Fitting Position: Front Axle Fitting Position: Left
 <p>Splash panel, right, front</p>	<b>8964200480</b> <i>For reference:</i> 675360	VOLVO 140 Serie VOLVO 164	1.8, 2.0 2.9, 3.0	08/66-02/75 08/68-07/74	Fitting Position: Front Axle Fitting Position: Right
 <p>Screw for front splash panel</p>	<b>8964250100</b> <i>For reference:</i> 943090	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 1.6 2.0, 1.8 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Fitting Position: Front Axle Equipment Variant: Screw Thread Size: UNC 1/4-20x1/2" Length [mm]: 13
 <p>Adjuster Set, handbrake</p>	<b>8965000410</b> <i>For reference:</i> 677525 677528	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO P1800 VOLVO P1800	1.8, 2.0 2.9, 3.0 2.3, 2.4D, 2.7, 2.8, 2.0, 2.0D, 2.1 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93  04/62-11/73 04/62-06/72	Fitting Position: Rear Axle
 <p>Accelerator cable</p>	<b>8970100200</b> <i>For reference:</i> 685335	VOLVO 164	2.9	08/68-07/74	






Description	Item no.	Application	Engine	Year	Criteria / Information
  Bush for accelerator cable plastic	<b>8970150100</b> <i>For reference:</i> 666143	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 1.6 2.0, 1.8 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	
  Clutch Cable	<b>8970200200</b> <i>For reference:</i> 679153 684769	VOLVO 164	3.0, 2.9	08/68-07/74	
  Rubber grommet for left clutch cable	<b>8970250100</b> <i>For reference:</i> 677056	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO P1800 VOLVO P1800	2.0, 1.8 2.9, 3.0 2.0 1.8 2.0	08/66-02/75 08/68-07/74 05/59-05/71 04/62-11/73 04/62-06/72	Fitting Position: Engine Bay
  Handbrake cable	<b>8970300203</b> <i>For reference:</i> 684586	VOLVO 140 Serie VOLVO 164	2.0 2.9, 3.0	08/66-02/75 08/68-07/74	Length [mm]: 2455 Fitting Position: Left Fitting Position: Right
  Rubber seal at dust cover rear	<b>8970350102</b> <i>For reference:</i> 688136	VOLVO 140 Serie VOLVO 140 Serie VOLVO 164 VOLVO P1800 VOLVO P1800	1.8 2.0 3.0, 2.9 1.8 2.0	08/66-08/75 08/66-02/75 08/68-07/74 04/62-11/73 04/62-06/72	Fitting Position: Rear Axle

Description	Item no.	Application	Engine	Year	Criteria / Information
 Nut for handbrake cable retainer	<b>8970350600</b> <i>For reference:</i> 950373				Bolt / Nut Version: Thread Type: UNF Thread Thread Size: 5/16"
 Return spring for handbrake	<b>8970351002</b> <i>For reference:</i> 686336	VOLVO 140 Serie VOLVO 164 VOLVO P1800 VOLVO P1800	1.8, 2.0 2.9, 3.0 1.8 2.0	08/66-02/75 08/68-07/74 04/62-11/73 04/62-06/72	Fitting Position: Centre
 Rubber grommet for choker cable	<b>8970450400</b> <i>For reference:</i> 664425	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon	2.0, 1.8 2.9 1.8 2.0	08/66-02/75 08/68-07/74 05/59-08/69 05/59-05/71	
 Clip, trim/protective strip, Stromberg	<b>8970450500</b> <i>For reference:</i> 237284	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO PV/Duett	1.8, 2.0 2.9 2.0, 2.1, 2.3 1.8 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69 05/60-02/69	Version: Stromberg
 Tacho shaft, 1800 mm	<b>8970600402</b> <i>For reference:</i> 676696	VOLVO 140 Serie VOLVO 140 Serie VOLVO 164	1.8 2.0 2.9	08/66-08/75 08/66-02/75 08/68-07/74	Length [mm]: 1800 Driver Position: for left-hand drive vehicles






Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Tacho Shaft, 1580 mm, original</p>	<b>8970600602</b> <i>For reference:</i> 670506	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.0, 1.8 1.6 1.8	08/66-02/75 08/68-07/74 05/59-08/69 08/61-07/67 05/60-07/67	Length [mm]: 1580
 <p>Shaft seal for speedometer drive type D</p>	<b>8970650100</b> <i>For reference:</i> 380192	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett	2.0, 1.8 3.0, 2.9 2.0, 2.0D, 2.1, 2.3, 2.7, 2.8, 2.4D 1.6 1.8, 2.0 1.8 2.0 1.8, 1.6	08/66-02/75 08/68-07/74 08/74-12/93  05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 05/60-07/67	
 <p>Shaft seal for speedometer drive type J</p>	<b>8970650502</b> <i>For reference:</i> 380752	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800	1.8, 2.0 2.9, 3.0 2.0, 2.0D, 2.1, 2.4D, 2.3, 2.7, 2.8 1.6 1.8, 2.0 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93  05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72	
 <p>Bonnet Cable</p>	<b>8970700200</b> <i>For reference:</i> 680419	VOLVO 140 Serie VOLVO 164	1.8, 2.0 2.9, 3.0	08/66-02/75 08/68-07/74	Length [cm]: 211
 <p>Pedal pad for brake or clutch pedal</p>	<b>8972200100</b> <i>For reference:</i> 666176	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800	2.0, 1.8 2.9, 3.0 2.0, 2.1, 2.3, 2.7, 2.8, 2.0D, 2.4D 1.6 1.8, 2.0 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93  05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72	






Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Brake pedal pad</p>	<b>8972200500</b> <i>For reference:</i> 669843	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie VOLVO P1800 VOLVO P1800	2.0, 1.8 2.9, 3.0 2.0, 2.3, 2.7, 2.8, 2.1, 2.0D, 2.4D 2.7, 2.8 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81 04/62-05/70 04/62-06/72	
 <p>Lever, parking brake caliper</p>	<b>8972500100</b> <i>For reference:</i> 666419	VOLVO 140 Serie VOLVO 164 VOLVO Amazon	1.8, 2.0 3.0, 2.9 2.0, 1.8	08/66-02/75 08/68-07/74 05/59-08/69	
 <p>Bracket, parking brake</p>	<b>8972550200</b> <i>For reference:</i> 191260 955637	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 1.6 1.8, 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Bolt Head-/Nut Design: Hexagon Thread Type: UNF Thread Thread Size: 1/4" Length [mm]: 16
 <p>Return spring for parking brake</p>	<b>8972550300</b> <i>For reference:</i> 659655	VOLVO 140 Serie VOLVO 164 VOLVO P1800 VOLVO P1800 VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 1.8 2.0 1.6, 1.8	08/66-02/75 08/68-07/74 04/62-11/73 04/62-06/72 05/60-07/67	
 <p>Hand Brake Lever left</p>	<b>8972600470</b> <i>For reference:</i> 686653	VOLVO 140 Serie VOLVO 164 VOLVO P1800	1.8, 2.0 2.9 2.0	08/66-02/75 08/68-07/74 08/69-06/72	Fitting Position: Left

Description	Item no.	Application	Engine	Year	Criteria / Information
 Hand Brake Lever right	<b>8972600480</b> For reference: 686654	VOLVO 140 Serie VOLVO 164 VOLVO P1800	1.8, 2.0 2.9 2.0	08/66-02/75 08/68-07/74 08/69-06/72	Fitting Position: Right
 Bonnet	<b>8980100102</b> For reference: 686993	VOLVO 164	2.9, 3.0	08/68-07/74	
 Tailgate repair piece, inner	<b>8980250300</b> For reference: 902572-1	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie	1.8, 2.0 2.9, 3.0 2.4D, 2.0, 2.1, 2.3, 2.7, 2.8 2.7, 2.8	08/66-08/75 08/68-07/74 08/74-12/93  08/74-12/81	
 Tailgate repair piece, outer	<b>8980250400</b> For reference: 902572-3	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie	1.8, 2.0 3.0, 2.9 2.0, 2.1, 2.3, 2.4D, 2.7, 2.8 2.8, 2.7	08/66-08/75 08/68-07/74 08/74-12/93  08/74-12/81	
 Wing, front left	<b>8980300172</b> For reference: 1382275	VOLVO 164	2.9, 3.0	08/68-07/74	Fitting Position: Left Front



Description	Item no.	Application	Engine	Year	Criteria / Information
  Wing, front right	<b>8980300182</b> For reference: 1382276	VOLVO 164	3.0, 2.9	08/68-07/74	Fitting Position: Right Front
  Washer for fender sheet nut	<b>8980350700</b> For reference: 192041	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 2.8, 2.3, 2.7, 2.0, 2.1, 2.4D, 2.0D  1.6 1.8, 2.0 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93  05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Inner diameter [mm]: 6,5 Outer diameter [mm]: 22 Thickness [mm]: 2 Fitting Position: Left Front Fitting Position: Right Front
  Repair piece for rear wing, rear door, left	<b>8980452470</b> For reference: 902554-1	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie	1.8, 2.0 2.9, 3.0 2.3, 2.7, 2.8, 2.4D, 2.0, 2.0D, 2.1 2.7, 2.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81	
  Repair piece for rear wing, rear door, right	<b>8980452480</b> For reference: 902554-2	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie	2.0, 1.8 2.9, 3.0 2.3, 2.7, 2.8, 2.0, 2.0D, 2.1, 2.4D 2.7, 2.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81	
  Wing flaring, right rear outer, front part	<b>8980452680</b> For reference: 902557-2	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie	1.8, 2.0 2.9, 3.0 2.3, 2.7, 2.8, 2.4D, 2.0, 2.0D, 2.1 2.7, 2.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81	

Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Longitudinal member repair piece, front</p>	<b>8980550400</b> <i>For reference:</i> 902581-0 1213974 1213975 675002 675003 678695 678696	VOLVO 140 Serie VOLVO 164	2.0, 1.8 2.9, 3.0	08/66-02/75 08/68-07/74	
 <p>Rear Panel upper</p>	<b>8980600202</b> <i>For reference:</i> 675471	VOLVO 140 Serie VOLVO 164	1.8, 2.0 2.9, 3.0	08/66-02/75 08/68-07/74	Fitting Position: Upper
 <p>Repair piece for door bottom, rear, inner, left</p>	<b>8980950670</b> <i>For reference:</i> 902517-1	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie	2.0, 1.8 3.0, 2.9 2.0, 2.1, 2.4D, 2.0D, 2.3, 2.8, 2.7 2.7, 2.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81	Fitting Position: Rear Fitting Position: Lower Left Fitting Position: inner
 <p>Repair piece for door bottom, front, inner, left</p>	<b>8980950770</b> <i>For reference:</i> 903016-1	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie	2.0, 1.8 2.9, 3.0 2.3, 2.8, 2.7, 2.0, 2.1, 2.4D, 2.0D 2.7, 2.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-07/82	Fitting Position: Left Front Fitting Position: inner Fitting Position: Lower
 <p>Door sill right</p>	<b>8981000480</b> <i>For reference:</i> 902500-2 679653 679653R	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie	2.0, 1.8 3.0, 2.9 2.4D, 2.0, 2.0D, 2.1, 2.3, 2.7, 2.8	08/66-02/75 08/68-07/74 08/74-12/93	Fitting Position: Right Panel Type: Full Body Section Number of Doors: 2/4/5


Description	Item no.	Application	Engine	Year	Criteria / Information
  Plate for mudflap rear stainless steel	<b>8981001702</b> <i>For reference:</i> 902587-0 675936	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie	2.0, 1.8 2.9, 3.0 2.3, 2.7, 2.8, 2.0, 2.0D, 2.1, 2.4D	08/66-02/75 08/68-07/74 08/74-12/93	Fitting Position: Rear Panel Type: Lateral Panel
  Plate for mudflap rear	<b>8981001800</b> <i>For reference:</i> 902587-0 675936	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie	2.0, 1.8 2.9, 3.0 2.3, 2.8, 2.7, 2.0, 2.1, 2.4D, 2.0D	08/66-02/75 08/68-07/74 08/74-12/93	Fitting Position: Rear Panel Type: Lateral Panel
  Support plate for mudflap front original	<b>8981002502</b> <i>For reference:</i> 678993	VOLVO 164	2.9, 3.0	08/68-07/74	Fitting Position: Front Panel Type: Support
  Door panel, rear section, left	<b>8981003470</b> <i>For reference:</i> 902501-3	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie VOLVO 260 Serie	1.8, 2.0 2.9 2.0D, 2.3, 2.7, 2.0, 2.4D, 2.1 2.7 2.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81 08/74-07/82	Fitting Position: Left Section: Rear Section
  Door panel, rear section, right	<b>8981003480</b> <i>For reference:</i> 902501-4	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie VOLVO 260 Serie	1.8, 2.0 2.9 2.0D, 2.3, 2.4D, 2.7, 2.0, 2.1 2.7 2.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81 08/74-07/82	Fitting Position: Right Section: Rear Section

Description	Item no.	Application	Engine	Year	Criteria / Information
  Screw for aluminium running boards	<b>8981550100</b> <i>For reference:</i> 955153	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 3.0, 2.9 1.6 1.8, 2.0 1.8 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 09/43-08/58 05/60-07/67	Bolt Head-/Nut Design: 8 Thread Size: 3,5 Length [mm]: 12
  Tailgate Emblem "Overdrive"	<b>8981601502</b> <i>For reference:</i> 670566	VOLVO 140 Serie VOLVO 164 VOLVO Amazon	1.8, 2.0 3.0, 2.9 2.0, 1.8, 1.6	08/66-02/75 08/68-07/74 05/59-05/71	
  Emblem	<b>8981602502</b> <i>For reference:</i> 1211748	VOLVO 164	3.0	08/68-07/74	Version: 164 Fitting Position: Wing
  Emblem	<b>8981602602</b> <i>For reference:</i> 675887	VOLVO 164 VOLVO P1800	2.9 2.0	08/68-07/74 08/69-06/72	Version: VOLVO Fitting Position: Front
  Jack Support Plate front	<b>8981700100</b> <i>For reference:</i> 677067	VOLVO 140 Serie VOLVO 164	1.8, 2.0 2.9, 3.0	08/66-02/75 08/68-07/74	Fitting Position: Front






Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Jack support plate with ex. plate, rear left</p>	<b>8981700670</b> <i>For reference:</i> 902583-3 675982	VOLVO 140 Serie VOLVO 164	2.0, 1.8 2.9, 3.0	08/66-02/75 08/68-07/74	
 <p>Jack support plate with ex. plate, rear, right</p>	<b>8981700680</b> <i>For reference:</i> 902583-4 675983	VOLVO 140 Serie VOLVO 164	1.8, 2.0 2.9, 3.0	08/66-02/75 08/68-07/74	
 <p>Jack support plate with ex. plate and bracket for trailing arm, rear right</p>	<b>8981700780</b> <i>For reference:</i> 902583-6 675983	VOLVO 140 Serie VOLVO 164	1.8, 2.0 2.9, 3.0	08/66-02/75 08/68-07/74	
 <p>Nut, 1/4"</p>	<b>8982000600</b> <i>For reference:</i> 955846				Fitting Position: Front Fitting Position: Rear Equipment Variant: Nut Thread Type: UNC Thread Thread Size: 1/4"
 <p>Mounting kit for danish black and yellow license plates with 6 mm bolt and clamping and locking washers</p>	<b>8182004810</b> <i>For reference:</i> AC998100	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie VOLVO Amazon VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 2.0, 2.0D, 2.4D, 2.1, 2.3, 2.7, 2.8 2.7, 2.8 1.6 1.8 2.0 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81 05/59-05/71 05/59-08/68 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Fitting Position: Front and Rear Equipment Variant: Mounting kit Supplementary Article/Info 2: with bolts Supplementary Article/Info 2: with washers






Description	Item no.	Application	Engine	Year	Criteria / Information
 Sheet nut 4.8mm	<b>8982050100</b> <i>For reference:</i> 191391 95391)	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 3.0, 2.9 2.3, 2.7, 2.8, 2.0D, 2.0, 2.1, 2.4D 1.6 1.8, 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 08/74-12/93  05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Fitting Position: Front Fitting Position: Rear Diameter [mm]: 4,8
 Wheel housing repair piece, left, rear part	<b>8982450170</b> <i>For reference:</i> 902552-1	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie	2.0, 1.8 3.0, 2.9 2.4D, 2.0, 2.1, 2.0D, 2.3, 2.7, 2.8 2.8, 2.7	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81	
 Body plate for repair, Universal, 625x1250x0.9 mm	<b>1183100300</b> <i>For reference:</i> 952071-0				Length [mm]: 1250 Width [mm]: 625 Thickness [mm]: 0,9
 Spare wheel well, inner, left	<b>8984000970</b> <i>For reference:</i> 902529-3 675743	VOLVO 140 Serie VOLVO 164	2.0, 1.8 3.0, 2.9	08/66-02/75 08/68-07/74	Fitting Position: Left Rear Section: Outer section
 Spare wheel well, inner, right	<b>8984000980</b> <i>For reference:</i> 902529-4 675744	VOLVO 140 Serie VOLVO 164	2.0, 1.8 2.9, 3.0	08/66-02/75 08/68-07/74	Fitting Position: Right Rear Section: Outer section



Description	Item no.	Application	Engine	Year	Criteria / Information
 Spare wheel well, small, left	<b>8984001070</b> <i>For reference:</i> 902529-1 675743	VOLVO 140 Serie VOLVO 164	1.8, 2.0 2.9, 3.0	08/66-02/75 08/68-07/74	
 Spare wheel well, small, right, small	<b>8984001080</b> <i>For reference:</i> 902529-2 675744	VOLVO 140 Serie VOLVO 164	1.8, 2.0 2.9, 3.0	08/66-02/75 08/68-07/74	
 Spare wheel well, XL, left	<b>8984001170</b> <i>For reference:</i> 902529-3 675743	VOLVO 140 Serie VOLVO 164	1.8, 2.0 3.0, 2.9	08/66-02/75 08/68-07/74	Fitting Position: Left Rear Version: XL
 Spare wheel well, XL, right	<b>8984001180</b> <i>For reference:</i> 902529-4 675744	VOLVO 140 Serie VOLVO 164	1.8, 2.0 2.9, 3.0	08/66-02/75 08/68-07/74	Fitting Position: Right Rear Version: XL
 Repair piece for lower windshield frame at air inlet	<b>8984001500</b> <i>For reference:</i> 903032-0	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO 260 Serie	2.0, 1.8 2.9, 3.0 2.3, 2.8, 2.7, 2.0, 2.0D, 2.1, 2.4D 2.7, 2.8	08/66-02/75 08/68-07/74 08/74-12/93 08/74-12/81	



Description	Item no.	Application	Engine	Year	Criteria / Information
  Nut 3/8"	<b>8984151300</b> <i>For reference:</i> 955827				Fitting Position: Front Fitting Position: Rear Thread Type: UNC Thread Thread Size: 3/8"
  Nut 5/16"	<b>8984250300</b> <i>For reference:</i> 955826				Fitting Position: Front Fitting Position: Rear Thread Type: UNC Thread Thread Size: 5/16"
  Screw "Nr. 10" 12.5mm	<b>8984251002</b> <i>For reference:</i> 192010	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 1.6 1.8, 2.0 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Bolt Head-/Nut Design: 8 Thread Type: UNF Thread Thread Size: Nr. 10 Length [mm]: 12.5 Fitting Position: Front and Rear
  Windscreen	<b>8985100102</b> <i>For reference:</i> 1247925	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie	1.8, 2.0 2.9, 3.0 2.0, 2.1	08/66-02/75 08/68-07/74 08/74-12/93	
  Door Window, clear, left	<b>8985200370</b> <i>For reference:</i> 5593C	VOLVO 140 Serie VOLVO 164	2.0 2.9, 3.0	08/66-02/75 08/68-07/74	Fitting Position: Left Glass: Clear glass

Description	Item no.	Application	Engine	Year	Criteria / Information
 Door Window, left, rear	<b>8985200472</b> For reference: 1213676	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie	2.0, 1.8 2.9, 3.0 2.3, 2.4D, 2.7, 2.8, 2.0D, 2.1, 2.0	08/66-02/75 08/68-07/74 08/74-12/93	Fitting Position: Left Rear
 Rubber seal for bonnet rear	<b>8985501400</b> For reference: 1202939 1213216	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie	1.8, 2.0 3.0, 2.9 2.0, 2.1	08/66-02/75 08/68-07/74 08/74-12/93	Fitting Position: Rear
 Rubber seal for tail gate	<b>8985501900</b> For reference: 1213755	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie	2.0, 1.8 3.0, 2.9 2.0, 2.1	08/66-08/75 08/68-07/74 08/74-12/93	
 Door seal left rear	<b>8985702070</b> For reference: 1254989	VOLVO 140 Serie VOLVO 164	2.0, 1.8 2.9, 3.0	08/66-02/75 08/68-07/74	Fitting Position: Left Rear
 Door seal right rear	<b>8985702080</b> For reference: 1254990	VOLVO 140 Serie VOLVO 164	2.0, 1.8 3.0, 2.9	08/66-02/75 08/68-07/74	Fitting Position: Right Rear

Description	Item no.	Application	Engine	Year	Criteria / Information
 Door seal plastic 3500mm	<b>8985702400</b> <i>For reference:</i> 671994	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie	1.8, 2.0 3.0, 2.9 2.0, 2.1, 2.4D, 2.3, 2.7, 2.8	08/66-08/75 08/68-07/74 08/74-12/93	Colour: Black Fitting Position: Boot Fitting Position: Body side
 Steel guide rail 5000mm	<b>8985702500</b> <i>For reference:</i> 676082	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie	2.0, 1.8 2.9, 3.0 2.3, 2.7, 2.8, 2.0, 2.4D, 2.0D, 2.1	08/66-02/75 08/68-07/74 08/74-12/93	Length [mm]: 5000
 Window slot seal	<b>8986002100</b> <i>For reference:</i> 677195	VOLVO 140 Serie VOLVO 164	2.0, 1.8 2.9	08/66-02/75 08/68-07/74	Length [cm]: 76
 Window slot seal front	<b>8986002300</b> <i>For reference:</i> 683646	VOLVO 140 Serie VOLVO 140 Serie VOLVO 164	1.8 2.0 3.0, 2.9	08/66-08/75 08/66-02/75 08/68-07/74	Fitting Position: Front Length [cm]: 76
 Trim/Protective Strip, mudguard, rear	<b>8986502700</b> <i>For reference:</i> 677535	VOLVO 140 Serie VOLVO 164	2.0, 1.8 3.0, 2.9	08/66-08/75 08/68-07/74	Fitting Position: Left Rear Fitting Position: Right Rear


Description	Item no.	Application	Engine	Year	Criteria / Information
  Trim/Protective Strip, door, front	<b>8986502900</b> <i>For reference:</i> 677537	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie	2.0, 1.8 2.9, 3.0 2.0, 2.1	08/66-02/75 08/68-07/74 08/74-12/93	Fitting Position: Left Front Fitting Position: Right Front
  Trim/Protective Strip, door, rear	<b>8986503000</b> <i>For reference:</i> 677538	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie	1.8, 2.0 3.0, 2.9 2.0, 2.1	08/66-02/75 08/68-07/74 08/74-12/93	Fitting Position: Left Rear Fitting Position: Right Rear
  Clip for trim plastic	<b>8986550202</b> <i>For reference:</i> 1247708 679885	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon	1.8, 2.0 2.9, 3.0 2.3, 2.4D, 2.8, 2.0, 2.1 2.0	08/66-02/75 08/68-07/74 08/74-12/93 05/59-05/71	
  Clip 4.2mm	<b>8986551100</b> <i>For reference:</i> 192557	VOLVO 140 Serie VOLVO 164 VOLVO Amazon	1.8, 2.0 2.9, 3.0 2.0, 1.8	08/66-02/75 08/68-07/74 05/59-08/69	Diameter [mm]: 4,2
  Door handle, left, front/rear	<b>8987100270</b> <i>For reference:</i> 1202430	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie	2.0 3.0, 2.9 2.0, 2.0D, 2.1, 2.3, 2.4D, 2.7, 2.8	08/66-02/75 08/68-07/74 08/74-12/93	Fitting Position: Outer Fitting Position: Left Front Fitting Position: Left Rear Colour: Chrome / Black

Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Door handle, right, front/rear</p>	<b>8987100280</b> <i>For reference:</i> 1202431	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie	2.0 2.9, 3.0 2.8, 2.3, 2.4D, 2.7, 2.0, 2.0D, 2.1	08/66-02/75 08/68-07/74 08/74-12/93	Fitting Position: Outer Fitting Position: Right Front Fitting Position: Right Rear Colour: Chrome / Black
 <p>Lock Set for trunk lock with key</p>	<b>8987500302</b> <i>For reference:</i> 1213240	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie	2.0 2.9, 3.0 2.0, 2.1, 2.0D	08/66-08/75 08/68-07/74 08/74-12/93	Fitting Position: Bootlid Lock System: with lock barrel Lock System: with key
 <p>Lock Cylinder for doors with keys</p>	<b>8987500400</b> <i>For reference:</i> 1213237	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie	1.8, 2.0 3.0, 2.9 2.0, 2.1	08/66-02/75 08/68-07/74 08/74-12/93	Fitting Position: Vehicle Door Lock System: with lock barrel Lock System: with key
 <p>Linkage, door release</p>	<b>8987550100</b> <i>For reference:</i> 941906	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 3.0, 2.9 2.0D, 2.0, 2.1, 2.4D, 2.3, 2.7, 2.8 1.6 2.0, 1.8 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 08/74-12/93  05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Diameter [mm]: 6 Material: Steel Surface: Zinc-coated
 <p>Lift channel for door window, left, front</p>	<b>8988100372</b> <i>For reference:</i> 1203974 1213802 9131940	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie	2.0 2.9 2.3, 2.7, 2.8, 2.0, 2.0D, 2.1, 2.4D	08/66-02/75 08/68-07/74 08/74-12/93	Fitting Position: Left Front

Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Lift channel for door window, right, front</p>	<b>8988100382</b> <i>For reference:</i> 1203975 1211981 9131941	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie	2.0 2.9 2.0D, 2.4D, 2.0, 2.1, 2.3, 2.7, 2.8	08/66-02/75 08/68-07/74 08/74-12/93	Fitting Position: Right Front
 <p>Lift channel for door window, rear, left</p>	<b>8988200170</b> <i>For reference:</i> 1213802 675929 9131938	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie	1.8, 2.0 2.9, 3.0 2.0D, 2.1, 2.3, 2.4D, 2.7, 2.8, 2.0	08/66-02/75 08/68-07/74 08/74-12/93	Fitting Position: Left Rear
 <p>Lift channel for door window, rear, right</p>	<b>8988200180</b> <i>For reference:</i> 1213803 675930 9131939	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie	2.0, 1.8 3.0, 2.9 2.0, 2.0D, 2.1, 2.3, 2.4D, 2.7, 2.8	08/66-02/75 08/68-07/74 08/74-12/93	Fitting Position: Right Rear
 <p>Omega clip for window winder handle</p>	<b>8988350500</b> <i>For reference:</i> 687299	VOLVO 140 Serie VOLVO 164 VOLVO P1800 VOLVO P1800	1.8, 2.0 3.0, 2.9 1.8 2.0	08/66-02/75 08/68-07/74 04/62-05/70 04/62-06/72	
 <p>Door mirror for mounting with screws</p>	<b>8989100102</b> <i>For reference:</i> 276613	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 1.6 1.8, 2.0 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Fitting Position: Left and right Fastening Type: 075 Surface: Chromed

Description	Item no.	Application	Engine	Year	Criteria / Information
 Door mirror with grub screws, for mounting inside with nuts	<b>8989100202</b> <i>For reference:</i> 276614	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 3.0, 2.9 1.6 1.8, 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Fitting Position: Left and right Fastening Type: 084 Surface: Chromed
 Door mirror without mirror arm	<b>8989100502</b> <i>For reference:</i> 1213608	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 1.6 2.0, 1.8 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Fitting Position: Left and right
 Door mirror without mirror arm, convex glass	<b>8989100602</b> <i>For reference:</i> 1203646	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie	2.0 2.9 2.0, 2.0D, 2.1, 2.4D, 2.3	08/66-02/75 08/68-07/74 08/74-12/93	Fitting Position: Left Outer/Inner Mirror: Convex
 Cover for spare wheel red	<b>8989801700</b> <i>For reference:</i> 279731	VOLVO 164 VOLVO Amazon VOLVO PV/Duett VOLVO PV/Duett	2.9, 3.0 1.8, 2.0, 1.6 1.4, 1.6 1.8	08/68-07/74 05/59-05/71 09/43-08/58 08/61-07/67	Colour: Red Fitting Position: Rear
 Cover for spare wheel, black	<b>8989801800</b> <i>For reference:</i> 279731-1 279731	VOLVO 164 VOLVO Amazon VOLVO PV/Duett VOLVO PV/Duett	2.9, 3.0 2.0, 1.6, 1.8 1.6, 1.4 1.8	08/68-07/74 05/59-05/71 09/43-08/58 08/61-07/67	Colour: Black Fitting Position: Rear



Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Cover for steering wheel leather black</p>	<b>8989804600</b> <i>For reference:</i> 11159T	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 1.6 2.0, 1.8 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Material: Leather Colour: Black
 <p>Cover for spare wheel, brown</p>	<b>8989806300</b> <i>For reference:</i> 279731-3 279731	VOLVO 164 VOLVO Amazon VOLVO PV/Duett VOLVO PV/Duett	2.9, 3.0 1.6, 2.0, 1.8 1.6, 1.4 1.8	08/68-07/74 05/59-05/71 09/43-08/58 08/61-07/67	Colour: Brown Fitting Position: Rear
 <p>Cover for spare wheel, blue</p>	<b>8989806400</b> <i>For reference:</i> 279731-2 279731	VOLVO 164 VOLVO Amazon VOLVO PV/Duett VOLVO PV/Duett	2.9, 3.0 1.6, 1.8, 2.0 1.6, 1.4 1.8	08/68-07/74 05/59-05/71 09/43-08/58 08/61-07/67	Colour: Blue Fitting Position: Rear
 <p>Stow away rack for center tunnel, white</p>	<b>8189819400</b> <i>For reference:</i> AC999700	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 1.6, 2.0 1.8 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Equipment Variant: Stow away rack Fitting Position: Centre Console Colour: White
 <p>Stow away rack for center tunnel, black</p>	<b>8189819500</b> <i>For reference:</i> AC999701	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 1.6 1.8 2.0 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/68 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 08/61-07/67	Equipment Variant: Stow away rack Fitting Position: Centre Console Colour: Black

Description	Item no.	Application	Engine	Year	Criteria / Information
 Alternator Regulator A/C	<b>8990200200</b> <i>For reference:</i> 1308030 136325	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO P1800 VOLVO P1800	2.0, 1.8 2.9, 3.0 2.0, 1.8 1.8 2.0	08/66-02/75 08/68-07/74 05/59-08/69 04/62-05/70 04/62-06/72	Alternator type: 090 Alternator Charge Current [A]: 55 Version: Bosch
 Screw, starter	<b>8990350200</b> <i>For reference:</i> 940157				Thread Type: UNC Thread Thread Size: 7/16"
 Carbon Brush, alternator, Bosch, set	<b>8991000510</b> <i>For reference:</i> BX1822	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie VOLVO 740 VOLVO 940 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.3, 2.4D, 2.8, 2.0D, 2.7, 2.0, 2.1 2.7, 2.8 2.4D, 2.0, 2.3 2.4D, 2.3, 2.0 1.6 2.0, 1.8 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81 04/83-12/92 08/90-12/94 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/53-08/61 05/60-07/67	Length [mm]: 17 Thickness [mm]: 5 Height [mm]: 10 Cable Length [mm]: 38 Alternator Charge Current [A]: 35 Alternator Charge Current [A]: 55 Alternator Charge Current [A]: 65 Manufacturer Restriction: Bosch
 Starter switch	<b>8991000800</b> <i>For reference:</i> 9203247	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie	2.0 2.9, 3.0 2.4D, 2.0D, 2.1, 2.3, 2.7, 2.8, 2.0 2.7, 2.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81	
 Seal, ignition distributor	<b>8991150100</b> <i>For reference:</i> 418265	VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	3.0, 2.9 2.3, 2.4D, 2.7, 2.8, 2.0, 2.0D, 2.1 1.8, 2.0 1.8 2.0 1.6 1.8	08/68-07/74 08/74-12/93  05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	

Description	Item no.	Application	Engine	Year	Criteria / Information
 Distributor cap, Ø90 mm	<b>8991200300</b> <i>For reference:</i> 243658	VOLVO 164	3.0, 2.9	08/68-07/74	Manufacturer Restriction: System BOSCH Distributor/ Rotor: Connector Type DIN Number of Cylinders: 6 Diameter [mm]: 90
 Distributor cap, Ø73 mm	<b>8991200400</b> <i>For reference:</i> 241669	VOLVO 164	2.9	08/68-07/74	Manufacturer Restriction: Bosch Distributor/ Rotor: Connector Type DIN Number of Cylinders: 6 Diameter [mm]: 73
 Rotor for distributor	<b>8991300102</b> <i>For reference:</i> 243903	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9 2.0, 2.1, 2.3 2.0, 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69 04/62-06/72 08/61-07/67 05/60-07/67	Manufacturer Restriction: Bosch
 Rotor for distributor	<b>8991300500</b> <i>For reference:</i> EVL4-6Z	VOLVO 164	2.9, 3.0	08/68-07/74	Diameter [mm]: 90
 Rotor for distributor	<b>8991300602</b> <i>For reference:</i> 243657	VOLVO 164	2.9	08/68-07/74	

Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Rotor for distributor</p>	<b>1191301000</b> <i>For reference:</i> 0001582731 027905225 043905225 113911400 12111360305 1606399 82HF12200AA 92360292900 9306697 9927967	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 340-360 VOLVO P1800 VOLVO PV/Duett	2.0 (B20A B20B) 2.9 2.3 (B23E), 2.0 (B19A B20A), 2.1 (B21A) 2.0 (B19A) 2.0 (B20E B20F) 1.8	08/66-08/75 08/68-07/74 08/74-12/93  08/75-07/91 04/62-11/73 05/60-02/69	Resistance [kOhm]: 5
 <p>Set ignition points</p>	<b>8991400410</b> <i>For reference:</i> 241652	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon	2.0 2.9 2.0 2.0	08/66-02/75 08/68-07/74 08/74-12/93 05/59-05/71	
 <p>Condenser for distributor</p>	<b>8991500300</b> <i>For reference:</i> 241650	VOLVO 140 Serie VOLVO 164 VOLVO Amazon	2.0 2.9 2.0	08/66-02/75 08/68-07/74 05/59-05/71	
 <p>Spark plug, WR5BC, Bosch</p>	<b>8991700300</b> <i>For reference:</i> 271410-1	VOLVO 140 Serie VOLVO 164 VOLVO P1800	2.0 2.9 2.0	08/66-02/75 08/68-07/74 04/62-06/72	Manufacturer Restriction: Bosch Version: WR5BC
 <p>Ignition cable set, black/red</p>	<b>8992001010</b> <i>For reference:</i> 46174	VOLVO 164	2.9, 3.0	08/68-07/74	

Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Temperature sensor for cooling system, rear of cylinder head</p>	<b>8993100200</b> For reference: 679852	VOLVO 140 Serie VOLVO 164	1.8, 2.0 2.9, 3.0	08/66-02/75 08/68-07/74	
 <p>Rubber grommet at temperature sensor</p>	<b>8993150100</b> For reference: 655727	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 1.6 2.0, 1.8 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Outer diameter [mm]: 29 Inner diameter [mm]: 18
 <p>Oil Pressure Switch</p>	<b>8993500100</b> For reference: 1606877	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.0 1.8 2.0 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69 05/59-05/71 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	
 <p>Long distance headlight, type Hella 118, chrome, with clear glass, with 12 Volt bulb, Ø 130 mm, with E-mark</p>	<b>1695100602</b> For reference: 90163112101	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.3, 2.7, 2.4D, 2.8, 2.0D, 2.0, 2.1 2.7, 2.8 1.6, 2.0 1.8 1.8 2.0 1.4 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81 05/59-05/71 05/59-08/69 04/62-05/70 04/62-11/73 09/43-08/58 08/61-07/67 05/60-07/67	Fitting Position: Left Fitting Position: Right Diffusing Lens Type: Clear diffusing lens Frame Colour: Chrome Diameter [mm]: 130 Supplementary Article/ Supplementary Info: with bulb Registration Type: E-type checked
 <p>Reflector for headlight H4 Hella</p>	<b>8995150402</b> For reference: 1212963R2 1212963	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 1.6 1.8, 2.0 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 08/61-07/67	Fitting Position: Left and right Bulb Type: H4

Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Covering cap for Hella 118 high-beam headlight and fog lights. Black with Hella logo</p>	<b>1695151202</b> <i>For reference:</i> EQ631100	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.3, 2.7, 2.8, 2.0D, 2.4D, 2.0, 2.1 2.8, 2.7 1.6, 2.0 1.8 1.8 2.0 1.4 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81 05/59-05/71 05/59-08/69 04/62-05/70 04/62-11/73 09/43-08/58 08/61-07/67 05/60-07/67	Colour: Black
 <p>Rubber grommet for headlamp housing</p>	<b>8995151600</b> <i>For reference:</i> 320404	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 1.6 2.0, 1.8 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Diameter [mm]: 20
 <p>Control Unit, headlight range adjustment</p>	<b>8995152000</b> <i>For reference:</i> 676111	VOLVO 140 Serie VOLVO 164	1.8, 2.0 3.0, 2.9	08/66-02/75 08/68-07/74	
 <p>Headlight</p>	<b>8995152700</b> <i>For reference:</i> 6014	VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO PV/Duett VOLVO PV/Duett	2.9, 3.0 1.6 1.8, 2.0 1.4, 1.6 1.8	08/68-07/74 05/59-05/71 05/59-08/69 09/43-08/58 05/60-07/67	Fitting Position: Left Fitting Position: Right Rated Voltage [V]: 12
 <p>Plug for headlight bulb</p>	<b>8995152802</b> <i>For reference:</i> 958211	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO Amazon VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 3.0, 2.9 2.0D, 2.3, 2.7, 2.8, 2.0, 2.1, 2.4D 1.6 1.8, 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 08/74-12/93  05/59-05/71 05/59-08/69 09/43-08/58 05/60-07/67	Bulb Type: H4




Description	Item no.	Application	Engine	Year	Criteria / Information
 Chrome frame for tail light left	<b>8995351870</b> <i>For reference:</i> 681172	VOLVO 140 Serie VOLVO 164	2.0, 1.8 2.9, 3.0	08/66-02/75 08/68-07/74	Fitting Position: Left
 Trim Cover, tail light, right	<b>8995351880</b> <i>For reference:</i> 681173	VOLVO 140 Serie VOLVO 164	2.0, 1.8 2.9, 3.0	08/66-02/75 08/68-07/74	Fitting Position: Right
 Lens for tail light, orange/ clear/red, left, CIBIE	<b>8995354270</b> <i>For reference:</i> 1212702	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie	2.0 2.9 2.0, 2.1	08/66-08/75 08/68-07/74 08/74-12/93	Fitting Position: Left Supplementary Article/Info 2: Chromed edge Version: Cibie
 Lens for tail light, orange/ clear/red, right, CIBIE	<b>8995354280</b> <i>For reference:</i> 1212703	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie	2.0 2.9 2.0, 2.1	08/66-08/75 08/68-07/74 08/74-12/93	Fitting Position: Right Supplementary Article/Info 2: Chromed edge Version: Cibie
 Gasket for number plate light	<b>8995650800</b> <i>For reference:</i> 678529	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie	2.0 2.9 2.3, 2.7, 2.8, 2.0D, 2.4D, 2.0, 2.1	08/66-02/75 08/68-07/74 08/74-12/93	Fitting Position: Number Plate Light

Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Bulb for hazard light, 12V, 1.2W</p>	<b>8995902800</b> <i>For reference:</i> 277747 989800				Voltage [V]: 12 Bulb Type: T5 1,2W Rated Power [W]: 1,2
 <p>Cover, spotlight, pair</p>	<b>8996000110</b> <i>For reference:</i> 281056	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 1.6 2.0, 1.8 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	
 <p>Base, spotlight, stainless steel</p>	<b>8996000300</b> <i>For reference:</i> 672618	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 3.0, 2.9 1.6 1.8, 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Material: Stainless Steel
 <p>Switch for headlamp</p>	<b>8996100100</b> <i>For reference:</i> 1215169	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie	2.0 2.9, 3.0 2.3, 2.7, 2.8, 2.0D, 2.0, 2.1, 2.4D 2.7, 2.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81	
 <p>Switch for door contact</p>	<b>8996500300</b> <i>For reference:</i> 658383	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 1.6 1.8, 2.0 1.8, 1.6	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 08/61-07/67	Version: Door switch Version: Glovebox switch Version: Handbrake switch





Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Brake light switch, 2 pins</p>	<b>8996600300</b> <i>For reference:</i> 3544691 679364	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO P1800 VOLVO P1800	2.0, 1.8 2.9, 3.0 2.3, 2.7, 2.8, 2.0D, 2.4D, 2.0, 2.1 2.0 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93  05/59-08/69 04/62-11/73 04/62-06/72	Operating Mode: Electric
 <p>Overdrive switch for gearbox cover</p>	<b>8997000500</b> <i>For reference:</i> 662292	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800	1.8, 2.0 2.9, 3.0 2.1, 2.0 1.6 2.0, 1.8 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72	
 <p>On/off switch with 3 colour options, green/red/yellow, Classic Style, with 12 V bulb</p>	<b>1697000702</b> <i>For reference:</i> EQ941300 4A0035787	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie VOLVO Amazon VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.7, 2.0D, 2.0, 2.1, 2.3, 2.4D, 2.8 2.7, 2.8 1.6 1.8 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81 05/59-05/71 05/59-08/68 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Lens Colour: Red Lens Colour: Green Lens Colour: Yellow Supplementary Article/ Supplementary Info: with bulb Voltage [V]: 12
 <p>Nut and screw for foot-operated headlight switch</p>	<b>8997000710</b> <i>For reference:</i> 190320				DIN norm (screws): DIN 965 (Phillips countersunk head screws) Length [mm]: 21,8
 <p>Rubber seal at wiper axle</p>	<b>8998150902</b> <i>For reference:</i> 676662	VOLVO 140 Serie VOLVO 164	1.8, 2.0 2.9, 3.0	08/66-02/75 08/68-07/74	Fitting Position: Outer

Description	Item no.	Application	Engine	Year	Criteria / Information
 <p>Bolt for headlight housing, fender</p>	<b>8998151000</b> <i>For reference:</i> 955244 986198	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 3.0, 2.9 2.0, 2.0D, 2.1, 2.4D, 2.7, 2.3, 2.8  1.6 1.8, 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 08/74-12/93  05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Bolt Head-/Nut Design: Torx Thread Type: with metric thread Thread Size: M5 Length [mm]: 12
 <p>Wiper blade, 400 mm, front/ rear, left/right</p>	<b>8198400102</b> <i>For reference:</i> 955250002 161955427 6426AR 6426GG 6426HG	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO 260 Serie VOLVO 480 VOLVO 740 VOLVO 760 VOLVO 850 VOLVO V70	1.8, 2.0 2.9 2.4D, 2.3, 2.7, 2.0, 2.1 2.7, 2.8 2.0, 1.7 2.4D 2.3, 2.8 2.4, 2.0, 2.3, 2.5D 2.0, 2.3, 2.5D, 2.4	08/66-02/75 08/68-07/74 08/74-12/93 08/74-07/82 04/86-07/96 05/85-12/92 01/82-07/92 08/92-10/97 12/95-12/00	Fitting Position: Rear Length [mm]: 400
 <p>Washer pump in washer tank</p>	<b>8998500100</b> <i>For reference:</i> 688400	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 3.0, 2.9 2.0D, 2.0, 2.1, 2.4D, 2.7 1.6 1.8, 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Voltage [V]: 12 Equipment Variant: In washer tank
 <p>Washer pump including washer tank, 12 V</p>	<b>8998500210</b> <i>For reference:</i> 688400K	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 2.7, 2.0, 2.0D, 2.1, 2.4D 1.6 1.8, 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Voltage [V]: 12 Equipment Variant: Pump and tank
 <p>Window washer reservoir without cap, angular</p>	<b>8998600200</b> <i>For reference:</i> 671723	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 2.9, 3.0 1.6 1.8, 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Supplementary Article/Info 2: without lid Shape: Square

Description	Item no.	Application	Engine	Year	Criteria / Information
 Washer Fluid Jet for windscreen black	<b>8998700400</b> For reference: 1382494	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon	2.0 2.9, 3.0 2.0D, 2.1, 2.4D, 2.3, 2.7, 2.8, 2.0 2.0, 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-08/69	Fitting Position: Left and right Colour: Black
 Washer Fluid Jet for windscreen	<b>8998700502</b> For reference: 677097	VOLVO 140 Serie VOLVO 164	1.8, 2.0 2.9, 3.0	08/66-02/75 08/68-07/74	
 Plastic hose Ø3mm 2000mm	<b>8998700800</b> For reference: 192580	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 2.3, 2.8, 2.7, 2.0, 2.1, 2.4D, 2.0D 1.6 1.8, 2.0 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Inner diameter [mm]: 3 Material: PVC Length [mm]: 2000
 Plastic hose Ø5mm 2000mm	<b>8998700900</b> For reference: 192581	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 2.9, 3.0 2.3, 2.7, 2.8, 2.0, 2.1, 2.0D, 2.4D 1.6 1.8, 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 08/74-12/93 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Inner diameter [mm]: 5 Material: PVC Length [mm]: 2000
 Relay for indicator, Original	<b>8999200502</b> For reference: 667407	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO PV/Duett	2.0, 1.8 3.0, 2.9 1.6 1.8, 2.0 1.8 1.6, 1.8	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 05/60-07/67	Equipment Variant: Turn signal relay Number of Poles: 2 Vehicle Main Current: for vehicles with 12V main current Operating Mode: Electric

Description	Item no.	Application	Engine	Year	Criteria / Information
 Relay, fuel pump, original	<b>8999200802</b> <i>For reference:</i> 241812	VOLVO 140 Serie VOLVO 164 VOLVO P1800 VOLVO P1800	2.0 3.0, 2.9 1.8 2.0	08/66-02/75 08/68-07/74 04/62-11/73 04/62-06/72	Relay function: Fuel Pump Number of Poles: 5
 Indicator relay, 12V	<b>8999200900</b> <i>For reference:</i> 1046751 1210124	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800	2.0, 1.8 2.9, 3.0 1.6 1.8, 2.0 1.8 2.0	08/66-02/75 08/68-07/74 05/59-05/71 05/59-08/69 04/62-05/70 04/62-11/73	Relay function: Indicator Operating Mode: Electric Number of Poles: 3 Vehicle Main Current: for vehicles with 12V main current
 Horn 12 V Bosch universal	<b>8999500102</b> <i>For reference:</i> 678840B	VOLVO 140 Serie VOLVO 164 VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	2.0, 1.8 3.0, 2.9 2.0, 1.8 1.8 2.0 1.6 1.8	08/66-02/75 08/68-07/74 05/59-08/69 04/62-05/70 04/62-06/72 08/61-07/67 05/60-07/67	Version: Bosch Voltage [V]: 12 Frequency range from [Hz]: 310 Frequency range to [Hz]: 380 Diameter [mm]: 130
 Horn set, 12 V, 310/380 HZ, Ø130 mm	<b>8199501012</b> <i>For reference:</i> AC951210	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie VOLVO Amazon VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 3.0, 2.9 2.0D, 2.3, 2.7, 2.8, 2.0, 2.1, 2.4D  2.8, 2.7 1.6 1.8 2.0 1.8 2.0 1.6, 1.4 1.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81 05/59-05/71 05/59-08/68 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Voltage [V]: 12 Frequency Range [Hz]: 310 Frequency Range [Hz]: 380 Diameter [mm]: 130 Colour: Black Quantity Unit: Kit
 Tacho Shaft, angled	<b>8999650400</b> <i>For reference:</i> 666756	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie VOLVO P1800 VOLVO P1800	2.0, 1.8 3.0, 2.9 2.1 1.8 2.0	08/66-02/75 08/68-07/74 08/74-12/93 04/62-05/70 04/62-06/72	

Description	Item no.	Application	Engine	Year	Criteria / Information
  Tacho Shaft pinion	<b>8999650500</b> <i>For reference:</i> 1212553 666974	VOLVO 140 Serie VOLVO 164 VOLVO P1800 VOLVO P1800	2.0, 1.8 2.9, 3.0 1.8 2.0	08/66-02/75 08/68-07/74 04/62-05/70 04/62-06/72	
  Seal, headlight	<b>8999900800</b> <i>For reference:</i> 667075	VOLVO 140 Serie VOLVO 164 VOLVO 240 Serie  VOLVO 260 Serie VOLVO 740 VOLVO 760 VOLVO 940 VOLVO 960 VOLVO 960 VOLVO Amazon VOLVO Amazon VOLVO P1800 VOLVO P1800 VOLVO PV/Duett VOLVO PV/Duett	1.8, 2.0 3.0, 2.9 2.0D, 2.0, 2.1, 2.4D, 2.7, 2.3, 2.8 2.7, 2.8 2.3, 2.0, 2.4D 2.4D, 2.3, 2.8 2.3, 2.0, 2.4D 2.5 2.9, 2.0, 2.3, 2.4D, 2.8 1.6 2.0, 1.8 1.8 2.0 1.4, 1.6 1.8	08/66-02/75 08/68-07/74 08/74-12/93  08/74-12/81 05/85-12/92 08/81-07/92 08/90-12/94 07/94-12/96 08/90-07/94 05/59-05/71 05/59-08/69 04/62-05/70 04/62-06/72 09/43-08/58 05/60-07/67	Diameter 1 [mm]: 25 Diameter 2 [mm]: 28

Item No.	Page	Item No.	Page	Item No.	Page	Item No.	Page
1118001600	25	8914600210	17	8931650202	36	8961150600	54
1183100300	72	8914600310	17	8932000610	36	8961400110	54
1191301000	84	8914600410	17	8932000700	36	8961550400	54
1514600210	16	8914650100	17	8932000900	36	8961551100	55
1695100602	85	8914650200	17	8932001600	37	8961650100	55
1695151202	86	8914750100	18	8932001702	37	8961650300	55
1697000702	89	8914800100	18	8932100100	37	8961650400	55
8105006600	5	8914950100	18	8932100400	37	8961650600	55
8182004810	71	8915151200	18	8932100700	37	8961700200	56
8189819400	81	8915151700	18	8932100900	38	8961850100	56
8189819500	81	8915152402	19	8932101000	38	8961850200	56
8198400102	90	8915152502	19	8932101100	38	8961850510	56
8199501012	92	8915153500	19	8932400302	38	8961900270	56
8300900310	1	8915153700	19	8932400400	38	8961900280	57
8301850110	5	8915154310	19	8933000902	39	8961950200	57
8301850210	5	8915155500	20	8933001100	39	8961950400	57
8900100970	1	8915156000	20	8933001302	39	8961950510	57
8900100980	1	8915156100	20	8940050200	39	8961950702	57
8900150100	1	8915156700	20	8940150202	39	8961950910	58
8901000302	1	8915157202	20	8940200202	40	8962000170	58
8901000400	2	8915250100	21	8940200302	40	8962000180	58
8901000500	2	8915250502	21	8940300100	40	8962050300	58
8901000602	2	8915250800	21	8940300680	40	8963000100	58
8901000700	2	8915251200	21	8940550302	40	8963200100	59
8901000800	2	8915450100	21	8941000100	41	8963600210	59
8901000900	3	8915550302	22	8941000200	41	8963650110	59
8901001100	3	8915550400	22	8941000502	41	8963700112	59
8901100200	3	8915550500	22	8941000602	41	8963700117	59
8901100700	3	8915550602	22	8941000902	41	8963750110	60
8901200200	3	8915550802	22	8941001000	42	8963900110	60
8901200302	4	8915550902	23	8941250202	42	8963900210	60
8901200400	4	8915651000	23	8941300310	42	8963950200	60
8901200500	4	8915651400	23	8942000300	42	8964001202	60
8901500600	4	8915651600	23	8942150200	42	8964200470	61
8901500700	4	8915651702	23	8942550202	43	8964200480	61
8901501000	5	8915652000	24	8942550302	43	8964250100	61
8901501100	5	8915800100	24	8942550400	43	8965000410	61
8910150300	6	8915801000	24	8942600100	43	8970100200	61
8910150400	6	8916000900	24	8942600202	43	8970150100	62
8910200310	6	8917900402	24	8942650102	44	8970200200	62
8910300110	6	8918000100	25	8944400470	44	8970250100	62
8910300810	6	8918500302	26	8944400480	44	8970300203	62
8910400102	7	8918550102	26	8945600100	44	8970350102	62
8910450202	7	8918600602	26	8950050102	44	8970350600	63
8910450300	7	8918600700	26	8950050300	45	8970351002	63
8910450400	7	8918600902	27	8950150300	45	8970450400	63
8910600310	7	8918650602	27	8950150400	45	8970450500	63
8910850100	8	8918700102	27	8950150502	45	8970600402	63
8910850200	8	8918700300	27	8950200200	45	8970600602	64
8911000100	8	8918700400	27	8950200602	46	8970650100	64
8911150100	8	8918900410	28	8950200700	46	8970650502	64
8911150200	8	8919500100	28	8950250300	46	8970700200	64
8911150300	9	8919500200	28	8950250602	46	8972200100	64
8911250100	9	8919600100	28	8950300100	46	8972200500	65
8911250900	9	8919600300	28	8950301200	47	8972500100	65
8911251000	9	8919601000	29	8950301300	47	8972550200	65
8911300200	9	8920150200	29	8950301400	47	8972550300	65
8911300300	10	8920150300	29	8950301900	47	8972600470	65
8911300600	10	8920150400	29	8950302000	47	8972600480	66
8911300800	10	8920200100	29	8950302100	48	8980100102	66
8911350300	10	8920400202	30	8950400202	48	8980250300	66
8911350400	10	8920500302	30	8951000300	48	8980250400	66
8911350800	11	8920600600	30	8951000602	48	8980300172	66
8911400100	11	8921400500	30	8951000702	48	8980300182	67
8912450200	11	8921400600	30	8951250500	49	8980350700	67
8913150200	11	8921400700	31	8951250702	49	8980452470	67
8913150310	11	8921400800	31	8951300310	49	8980452480	67
8913550100	12	8921400900	31	8951300510	49	8980452680	67
8913600100	12	8921401000	31	8952000100	49	8980550400	68
8913600200	12	8921401200	31	8952100600	50	8980600202	68
8913800100	12	8921401300	32	8952150102	50	8980950670	68
8913800200	12	8921401700	32	8952200100	50	8980950770	68
8913850100	13	8921600500	32	8952200200	50	8981000480	68
8914100700	13	8921600600	32	8952500500	50	8981001702	69
8914150502	13	8921601700	32	8953150102	51	8981001800	69
8914150902	13	8923250100	33	8953800400	51	8981002502	69
8914151002	13	8923500200	33	8953850212	51	8981003470	69
8914151102	14	8923502200	33	8953850302	51	8981003480	69
8914151202	14	8923502300	33	8953850400	51	8981550100	70
8914250102	14	8923502500	33	8953900200	52	8981601502	70
8914250200	14	8923550200	34	8960200300	52	8981602502	70
8914301600	14	8923550302	34	8960300110	52	8981602602	70
8914301700	15	8923550400	34	8960300200	52	8981700100	70
8914301800	15	8925000102	34	8960300300	52	8981700670	71
8914301900	15	8925000200	34	8960400500	53	8981700680	71
8914350100	15	8930300100	35	8960400800	53	8981700780	71
8914350202	15	8930400210	35	8960400900	53	8982000600	71
8914350302	16	8931000700	35	8960401010	53	8982050100	72
8914500302	16	8931400700	35	8961000300	53	8982450170	72
8914500400	16	8931400900	35	8961100600	54	8984000970	72
8914600110	16	8931401200	36	8961150210	54	8984000980	72

Item No.	Page	Item No.	Page
8984001070	73	8999650400	92
8984001080	73	8999650500	93
8984001170	73	8999900800	93
8984001180	73		
8984001500	73		
8984151300	74		
8984250300	74		
8984251002	74		
8985100102	74		
8985200370	74		
8985200472	75		
8985501400	75		
8985501900	75		
8985702070	75		
8985702080	75		
8985702400	76		
8985702500	76		
8986002100	76		
8986002300	76		
8986502700	76		
8986502900	77		
8986503000	77		
8986550202	77		
8986551100	77		
8987100270	77		
8987100280	78		
8987500302	78		
8987500400	78		
8987550100	78		
8988100372	78		
8988100382	79		
8988200170	79		
8988200180	79		
8988350500	79		
8989100102	79		
8989100202	80		
8989100502	80		
8989100602	80		
8989801700	80		
8989801800	80		
8989804600	81		
8989806300	81		
8989806400	81		
8990200200	82		
8990350200	82		
8991000510	82		
8991000800	82		
8991150100	82		
8991200300	83		
8991200400	83		
8991300102	83		
8991300500	83		
8991300602	83		
8991400410	84		
8991500300	84		
8991700300	84		
8992001010	84		
8993100200	85		
8993150100	85		
8993500100	85		
8995150402	85		
8995151600	86		
8995152000	86		
8995152700	86		
8995152802	86		
8995351870	87		
8995351880	87		
8995354270	87		
8995354280	87		
8995650800	87		
8995902800	88		
8996000110	88		
8996000300	88		
8996100100	88		
8996500300	88		
8996600300	89		
8997000500	89		
8997000710	89		
8998150902	89		
8998151000	90		
8998500100	90		
8998500210	90		
8998600200	90		
8998700400	91		
8998700502	91		
8998700800	91		
8998700900	91		
8999200502	91		
8999200802	92		
8999200900	92		
8999500102	92		